Technical specifications

PP-L60009-V1

MEDICATION CART - LOGISTALLI M3 - F600 9G - EQUIPPED V1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	34,3 kg
Total Weight - Pack	56 kg
Plant-based pourcentage (on total weight)	60%
Percentage of recycled material	25%

DIMENSIONS

Width	78,2 cm
Depth	58,6 cm
Height tray	109,2 cm
Front	F600
Height	112,2 cm
Thickness	Box: 1 / Back: 0,6 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Tray Structure	Top tray plastic ABS PMMA with 30 mm edge
Box	Vegetable fibers
Front	Roller shutter : white PP
Handles	PA6 with glass fibers
Wheels	Thermoplastic rubber, grey non-marking
Material	Easyfix rails in PA6 with glass fibers
Internal runner walls / Slides	Black plastic ABS

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Fitting without tools by wing nut

SAFETY CHARGE

Maximum admissible load	100 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	9G
Typ of springers	Mixed as standard and BLMM as option
Mixed springers: Drawer height 75 mm	9
Mixed springers: ABS tray height 50 mm	8
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	9
BJMM spinrgers: ABS tray height 50 mm	11
BJMM springers: Shelf for Daily pillboxes medium model height 50 mm	12

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2
Vegetable fibers	D-s2d0

ADDITIONAL INFORMATION

Noise level generated by the moving product	42 db

9G



OUR EXCLUSIVES

SOFT SOUND® · EASY CLEAN® · EASY CLIP® · NO KEY CONCEPT®

HIGHLIGHTS

- Curtain
- Work surface
- Optimizing space
- Configurable tray

Technical specifications

PP-L60009-V12

MEDICATION CART - LOGISTALLI M3 - F600 9G - EQUIPPED V12

WEIGHT - ECO-PERFORMANCE

Weight bare structure	34,3 kg
Total Weight - Pack	48,4 kg
Plant-based pourcentage (on total weight)	60%
Percentage of recycled material	25%

DIMENSIONS

Width	78,2 cm
Depth	58,6 cm
Height tray	109,2 cm
Front	F600
Height	112,2 cm
Thickness	Box: 1 / Back: 0,6 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Tray Structure	Top tray plastic ABS PMMA with 30 mm edge
Box	Vegetable fibers
Front	Roller shutter : white PP
Handles	PA6 with glass fibers
Wheels	Thermoplastic rubber, grey non-marking
Material	Easyfix rails in PA6 with glass fibers
Internal runner walls / Slides	Black plastic ABS

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Fitting without tools by wing nut

SAFETY CHARGE

Maximum admissible load	100 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	9G
Typ of springers	Mixed as standard and BLMM as option
Mixed springers: Drawer height 75 mm	9
Mixed springers: ABS tray height 50 mm	8
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	9
BJMM spinrgers: ABS tray height 50 mm	11
BJMM springers: Shelf for Daily pillboxes medium model height 50 mm	12

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2
Vegetable fibers	D-s2d0

ADDITIONAL INFORMATION

Noise level generated by the moving product	42 db



OUR EXCLUSIVES

SOFT SOUND® · EASY CLEAN® · EASY CLIP® · NO KEY CONCEPT®

HIGHLIGHTS

- Curtain
- Work surface
- Optimizing space
- Configurable tray

Technical specifications

PP-L60009-V18

MEDICATION CART - LOGISTALLI M3 - F600 9G - EQUIPPED V18

WEIGHT - ECO-PERFORMANCE

Weight bare structure	34,3 kg
Total Weight - Pack	61,7 kg
Plant-based pourcentage (on total weight)	60%
Percentage of recycled material	25%

DIMENSIONS

Width	78,2 cm
Depth	58,6 cm
Height tray	125,2 cm
Front	F600
Height	128,2 cm
Thickness	Box: 1 / Back: 0,6 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Tray Structure	Top tray plastic ABS PMMA with 30 mm edge
Box	Vegetable fibers
Front	Roller shutter : white PP
Handles	PA6 with glass fibers
Wheels	Thermoplastic rubber, grey non-marking
Material	Easyfix rails in PA6 with glass fibers
Internal runner walls / Slides	Black plastic ABS

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Fitting without tools by wing nut

SAFETY CHARGE

Maximum admissible load	100 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	9G
Typ of springers	Mixed as standard and BLMM as option
Mixed springers: Drawer height 75 mm	9
Mixed springers: ABS tray height 50 mm	8
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	9
BJMM spinrgers: ABS tray height 50 mm	11
BJMM springers: Shelf for Daily pillboxes medium model height 50 mm	12

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2
Vegetable fibers	D-s2d0

ADDITIONAL INFORMATION

Noise level generated by the moving product	42 db



OUR EXCLUSIVES

SOFT SOUND® · EASY CLEAN® · EASY CLIP® · NO KEY CONCEPT®

HIGHLIGHTS

- Curtain
- Work surface
- Optimizing space
- Configurable tray

Technical specifications

MO-L60009

MEDICATION CART - LOGISTALLI M3 - F600 9G - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	34,3 kg
Plant-based pourcentage (on total weight)	60%
Percentage of recycled material	25%

DIMENSIONS

Width	78,2 cm
Depth	58,6 cm
Height tray	109,2 cm
Front	F600
Height	112,2 cm
Thickness	Box: 1 / Back: 0,6 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Tray Structure	Top tray plastic ABS PMMA with 30 mm edge
Box	Vegetable fibers
Front	Roller shutter : white PP
Handles	PA6 with glass fibers
Wheels	Thermoplastic rubber, grey non-marking
Material	Easyfix rails in PA6 with glass fibers
Internal runner walls / Slides	Black plastic ABS

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Fitting without tools by wing nut

SAFETY CHARGE

Maximum admissible load	100 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	9G
Typ of springers	Mixed as standard and BLMM as option
Mixed springers: Drawer height 75 mm	9
Mixed springers: ABS tray height 50 mm	8
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	9
BJMM spinrgers: ABS tray height 50 mm	11
BJMM springers: Shelf for Daily pillboxes medium model height 50 mm	12

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2
Vegetable fibers	D-s2d0

ADDITIONAL INFORMATION

Noise level generated by the moving product	42 db

9G



OUR EXCLUSIVES

SOFT SOUND® · EASY CLEAN® · EASY CLIP® · NO KEY CONCEPT®

HIGHLIGHTS

- Curtain
- Work surface
- Optimizing space
- Configurable tray

Technical specifications

MO-L60009-CODE

MEDICATION CART - LOGISTALLI M3 - F600 9G - WITH KEYPAD LOCK - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	34,3 kg
Total Weight - Pack	34,8 kg
Plant-based pourcentage (on total weight)	60%
Percentage of recycled material	25%

DIMENSIONS

Width	78,2 cm
Depth	58,6 cm
Height tray	109,2 cm
Front	F600
Height	109,9 cm
Thickness	Box: 1 / Back: 0,6 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Tray Structure	Top tray plastic ABS PMMA with 30 mm edge
Box	Vegetable fibers
Front	Roller shutter : white PP
Handles	PA6 with glass fibers
Wheels	Thermoplastic rubber, grey non-marking
Material	Easyfix rails in PA6 with glass fibers
Internal runner walls / Slides	Black plastic ABS

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Fitting without tools by wing nut

SAFETY CHARGE

Maximum admissible load	100 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	9G
Typ of springers	Mixed as standard and BLMM as option
Mixed springers: Drawer height 75 mm	9
Mixed springers: ABS tray height 50 mm	8
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	9
BJMM spinrgers: ABS tray height 50 mm	11
BJMM springers: Shelf for Daily pillboxes medium model height 50 mm	12

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2
Vegetable fibers	D-s2d0

ADDITIONAL INFORMATION

Noise level generated by the moving product	42 db

9G



OUR EXCLUSIVES

SOFT SOUND® · EASY CLEAN® · EASY CLIP® · NO KEY CONCEPT®

HIGHLIGHTS

- Curtain
- Work surface
- Optimizing space
- Configurable tray

Technical specifications

MO-L60010

MEDICATION CART - LOGISTALLI M3 - F600 10G - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	35,5 kg
Plant-based pourcentage (on total weight)	60%
Percentage of recycled material	25%

DIMENSIONS

Width	78,2 cm
Depth	58,6 cm
Height tray	117,2 cm
Front	F600
Height	120,2 cm
Thickness	Box: 1 / Back: 0,6 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Tray Structure	Top tray plastic ABS PMMA with 30 mm edge
Box	Vegetable fibers
Front	Roller shutter : white PP
Handles	PA6 with glass fibers
Wheels	Thermoplastic rubber, grey non-marking
Material	Easyfix rails in PA6 with glass fibers
Internal runner walls / Slides	Black plastic ABS

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Fitting without tools by wing nut

SAFETY CHARGE

Maximum admissible load	100 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	10G
Typ of springers	Mixed as standard and BLMM as option
Mixed springers: Drawer height 75 mm	10
Mixed springers: ABS tray height 50 mm	9
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	10
BJMM spinrgers: ABS tray height 50 mm	12
BJMM springers: Shelf for Daily pillboxes medium model height 50 mm	13

FIRE CLASSIFICATION

Plastic	M2
ABS Plastic	M2
Vegetable fibers	D-s2d0

ADDITIONAL INFORMATION

Noise level generated by the moving product	42 db

10G



OUR EXCLUSIVES

SOFT SOUND® · EASY CLEAN® · EASY CLIP® · NO KEY CONCEPT®

HIGHLIGHTS

- Curtain
- Work surface
- Optimizing space
- Configurable tray