HA care MEDICAL 1860

HOSPITAL

ALLIBERT MEDICAL



OPEN TRANSFER CABINETS OPEN CABINET - MM3 (STOCK'ALLI)

P20®

Hospital Logistics - Transfer to services

greenly 2024 Or Climate Strategy Rating TOP 5%

MKT-26-PO-HOP-LH-TSE-ART-SARM-EN 21/11/2026

Summary

HAcare, specialist in medical devices since 1860. 3

HAcare Group's eco-responsible commitments 4

Choose the circular economy 5

Recyclable materials 6

Certifications 7

Open transfer cabinets Hospital Transfer to services 8

Our exclusives

P20 10

Highlights

Optimizing storage (P20) 12

Designing and optimizing your spaces (Optimizing space) 13

Characteristics

Mobility 15

Configurable 16

COMPOSANTS : Bac à lèvres ..... 19 - 20

COMPOSANTS: Étagères ..... 21 - 22

Technical specifications 26

portfolio.options & composants 67

Preventive maintenance tailored to your needs 77

The advantages of preventive maintenance 78

Our preventive maintenance services 79



HAcare, specialist in medical devices since 1860.

At HAcare, we design, manufacture and distribute medical devices and innovative, durable medical furniture solutions designed to improve the daily lives of patients and healthcare professionals alike.











The HAcare Group's eco-responsible commitments

The HAcare group commits to an **eco-responsible industrial orientation**

In its sustainable development strategy, the HAcare group has defined a list of **6 commitments** that guide its **actions and decisions** since the group's creation and for the years to come.

Indicators have been set up for each commitment.

Our 6 commitments

- Made in France production
- The use of renewable resources
- Integrating the circular economy into all new product developments
- Responsible purchasing (supplier quality monitoring)
- Daily actions to respect and protect the environment
- Combating RSI and noise pollution through our products

Choose the circular economy



HAcare finished products can be recycled through a recovery circuit at the end customer's premises, for recycling with our partner supplier. As wood cannot be recycled ad infinitum because its fibers become too small or exhausted, wood waste is recovered and transformed into green energy.



The plant fiber boards used in the manufacture of HAcare products are 100% reclaimed wood. Each HAcare finished product bears an index revealing the proportion of plant fiber contained.



Recycling is the practice of recovering used materials from the waste stream, then incorporating these same materials into the manufacturing process. Each HAcare finished product carries an index revealing the proportion of recycled material it contains.



Recyclable materials

HAcare finished products are 95% recyclable. For example, the HAcare medical bed is entirely recyclable, except for the wheels and motors. Each bed can be dismantled to recover each material separately: plant fiber, metal, plastic.

PLANT FIBER



Recycled wood

The plant fiber boards used in the manufacture of HAcare Group products are:

100% reused wood

Reuse is one of the environmentally friendly processes. It involves, for example, leftovers from wood-processing companies (e.g. sawmill scraps, production offcuts...). But also by-products from activities such as sustainable forest management and slope maintenance.

100% FSC-certified wood

Recyclable with a partner supplier who, on a worldwide exclusive basis and since 2021, recycles MDF and HDF panels.No water consumption, nor green energy **biomass**.



The metal

All metal components are **recyclable** and reusable, **infinitely**. Once the metal has been sorted, it is compressed, crushed, rolled and melted. It is then remolded into coils, bars or wire for reuse. This process can be endless!

Metal recycling has **many advantages**. It conserves natural resources by reducing the need for virgin materials, cuts energy consumption and reduces **greenhouse gas emissions**.



Recycled plastic

At recycling plants, waste (re) becomes a **raw material** through various processes: grinding, micronization, regeneration of plastics.

The recycled plastic will then be resold to **plasturgy** manufacturers in the form of **flakes**, powder or even **granules**.

Certifications



MANAGEMENT AND CUSTOMER SATISFACTION
ISO 9001

MEDICAL DEVICE
ISO 13485

GOLD | Top 5%
ecovadis
Sustainability Rating
MAY 2026

greenly
2024
Or
Climate Strategy Rating
TOP 5%

OPEN TRANSFER CABINETS HOSPITAL

Transfer to services

Open cabinet - MM3 (STOCK'ALLI)





OUR EXCLUSIVES

OUR EXCLUSIVES

P20

In hospital environments, optimizing floor space is a major challenge. Teams have to manage a large volume of medical devices in often restricted premises, while maintaining a fluid, intuitive organization that complies with hygiene requirements. Storage solutions must therefore be compact, modular and allow rapid access to the products needed during care.

Optimize storage with the P20 concept

This mobile storage cabinet guarantees filling without loss of storage space thanks to the concept P20. Furthermore, the 400 Facade allows you to optimize your layout in reduced spaces.





HIGHLIGHTS

Optimizing storage (P20)







HACARE medical furniture adapts to every use thanks to a wide choiceof modularcomponents. It optimizes storage by verticalization with the P20 concept, offering large capacity for storage. Depending on your organization, the cabinets prioritize either component capacity, or component quantity. They ensure a practical, scalable and performing storage space on a daily basis, meeting the needs of care teams.

Designing and optimizing your spaces (Optimizing space)



The 400 or 600 Facades, offered in single or . versions;double, offer modularity ideal for optimizing your storage spaces.They enable you to acurate your layout according to the configuration of each department, even in constrained environments. Thanks to this flexibility, you effectively structure your storage areas, gain accessibility and improve circulation on a daily basis. A solution designed to adjust to all uses.



CHARACTERISTICS

CHARACTERISTICS

Mobility



125 mm castors for easy transfers

The storage cabinet adapts to every environment thanks to the choice of 125 mm, swivel castors, allowing optimization and comfort when moving. The two front brakes, easily accessible by foot, ensure perfect stability when moving, reinforcing the security of the furniture and caregivers' confidence in their movements.



4 adjustable feet for fixed storage

Dedicated to storage, in storerooms, arsenals and PUIs, this fixed cabinet forstorage guarantees refilling without loss of storage space thanks to its 20 pitch. The 400 Facade allows you to optimize your layout in reduced spaces.Structure with steel U-profile Volcanic black epoxy lacquer4 adjustable feet

CHARACTERISTICS

Configurable



Modularity for high storage capacity

HACARE modulable furniture enables verticalization of storage and optimization of every square meter, even in constrained spaces. Thanks to the P20 system, teams mix freely trays BJMM/BJGM, three heights of drawers and three heights of lips trays. A flexible, compactorganization.The cladding (optional) allows enclosure of the structure.



Selecting components for customized storage

Configure your medical furniture according to your needs thanks to a wide choice of modular components. Create a tailor-made solution, perfectly adapted to your daily uses. Each element is designed to optimize your organization, your work comfort and the efficiency of your care, while guaranteeing optimal ergonomics. Complete customization for a upgradeable furniture durable and perfectly matched to your department's requirements.



Select "type" configurations

Thanks to our expertise in medical furniture, we design for you "type"configurations thought out for each use. Rigorous selection of components, optimized layout, ergonomics and user comfort: everything is studied to meet the specific needs of each department. Our team will work with you to define the configuration best suited to your practices, combining functionality, durability and day-to-day efficiency.



The joined drawers protect the contents of the drawers from prying eyes, light and UVs, preserving the quality and confidentiality of the products stored. Thanks to the central locking system, opening and closing is a one-touch operation, simplifying staff work while enhancing security.The removable drawers can be autoclave-cleaned, the radiated angles make cleaning easier.A practical, reliable solution for combining protection, efficiency and peace of mind on a daily basis.



Ergonomic drawers

Medical furniture can be adapted to every care organization thanks to its customizable configurations. Choose from 3 drawer heights and compose freely the interior layout to suit your needs.



Separation bins

Medical furniture adapts to every care organization thanks to its customizable configurations. Choose from 3 drawer heights and freely compose the interior layout to suit your needs with the separator bins. A flexible and evolutive design that allows you to optimize space, improve ergonomics and make every care station more functional on a daily basis.



Separators

Freely compose the interior layout to suit your needs with divider bins and separators, separator combs, subdivision boxes that isolate each care element for greater safety. A flexible and evolutive design that allows optimizing space, improving ergonomics and making each care station more functional on a daily basis.



Label holders and labels

Label holders on medical furniture drawers facilitate rapid and acurate identification of contents, reducing errors and optimizing care organization. They enable clear identification of drugs, medical devices or supplies, improving productivity and workflow for teams. Adaptable and modular, they contribute to a structured and secure care environment, while simplifying the day-to-day management of materials and reinforcing the efficiency and safety of interventions.

COMPOSANTS : Bac à lèvres



The lip tray, a universal and standardized storage method, features a rear groove for suspension, and thus creates an isolated zone limiting liquid contamination. Transparent for quick spotting of contents, it can be openworked for added lightness. It adapts to all structures and is easily cleaned, offering a practical, hygienic and functional solution for healthcare organization and safety. Available in 3 heights to optimize storage.

CHARACTERISTICS

COMPOSANTS : Bac à lèvres



Choosing a lip tray

The full or perforated, transparent lip trays offer a secure and hygienic storage solution for medical furniture. their closed design limits the risk of liquid contamination while allowing quick viewing of contents. Easy to clean, they ensure durability and practicality for everyday use. Adaptable to all structures, it optimizes the organization of instruments and consumables, while facilitating the work of care teams. Lightweight and robust, it combines safety, ergonomics and efficiency. Available in 3 heights to optimize storage.



Lips tray combs

Freely compose the interior layout of the lip tray according to your needs thanks to separation combs that isolate each care element for greater safety. A flexible and scalable design that optimizes space.Many models to create your own organization.



Label holders and labels

Label holders on medical furniture drawers facilitate rapid and acurate identification of contents, reducing errors and optimizing care organization. They enable clear identification of drugs, medical devices or supplies, improving productivity and workflow for teams. Adaptable and modular, they contribute to a structured and secure care environment, while simplifying the day-to-day management of materials and reinforcing the efficiency and safety of interventions.

COMPOSANTS: Étagères



The modular shelf offers practical and accessible rangeement for medical furniture. Designed to optimize the organization of instruments and consumables, it facilitates the daily work of healthcare teams. Robust and stable, it supports a variety of equipment while remaining easy to clean, guaranteeing hygiene and durability. Adaptable to different configurations, it enables efficientstructuring of the care space, offering quick access to essential equipment and contributing to a fluid, safe and ergonomic working environment.

CHARACTERISTICS

COMPOSANTS: Étagères



Separation bins

Medical furniture adapts to every care organization thanks to its customizable configurations. Choose from 3 drawer heights and freely compose the interior layout to suit your needs with the separator bins. A flexible and evolutive design that allows you to optimize space, improve ergonomics and make every care station more functional on a daily basis.



Separators

Freely compose the interior layout to suit your needs with divider bins and separators, separator combs, subdivision boxes that isolate each care element for greater safety. A flexible and evolutive design that allows optimizing space, improving ergonomics and making each care station more functional on a daily basis.



Label holders and labels

Label holders on medical furniture drawers facilitate rapid and acurate identification of contents, reducing errors and optimizing care organization. They enable clear identification of drugs, medical devices or supplies, improving productivity and workflow for teams. Adaptable and modular, they contribute to a structured and secure care environment, while simplifying the day-to-day management of materials and reinforcing the efficiency and safety of interventions.





The 7 pill dispenser trays BJMM or BJGM enable clear, organized nominative dispensing for each patient. Functional and modular, they can be complemented by one or more drawers intended for "if needed" treatment or forstoring small medical equipment (blood pressure meter, gloves, consumables...). A practical solution for optimizing the preparation and distribution of treatments on a daily basis.



Label holders and labels

Label holders on medical furniture drawers facilitate rapid and acurate identification of contents, reducing errors and optimizing care organization. They enable clear identification of drugs, medical devices or supplies, improving productivity and workflow for teams. Adaptable and modular, they contribute to a structured and secure care environment, while simplifying the day-to-day management of materials and reinforcing the efficiency and safety of interventions.



COMPONENTS: Cassette

The secure cassette offers a fixed and inviolable storage space, ideal for sensitive products. Its locking system, possible at any height, guarantees reinforced protection and controlled access in all circumstances. Designed to accommodate hazardous or toxic contents, it enhances the safety of staff and patients, while ensuring reliable organization in line with hospital requirements.

Technical specifications

PP-RY1600RV3

STORAGE CABINET F600 - CONSUMABLES/CONSUMABLES



WEIGHT - ECO-PERFORMANCE

Weight bare structure	20 kg
Total Weight - Pack	44 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

COLORS

Box	Volcanic Black

CAPACITY

Slides number (G height)	21G
Mixed springers: Drawer height 75 mm	21
Mixed springers: ABS tray height 50 mm	28
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2

COMPOSITION

2 solid ABS lowket tray height 50 (6 lowket tray separators (shorts) and 4 lowket tray separators (longs)) - 6 meshed ABS lowket tray height 100 (12 lowket tray separators (shorts) and 6 lowket tray separators (longs)) - 2 meshed ABS lowket tray height 200 (2 lowket tray separators (shorts) and 2 lowket tray separators (longs))

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-RY2600RV3

DOUBLE STORAGE CABINET F600 - CONSUMABLES/CONSUMABLES



WEIGHT - ECO-PERFORMANCE

Weight bare structure	44 kg
Total Weight - Pack	92 kg

DIMENSIONS

Width	133,9 cm
Depth	46 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Top cover
Wheels	Thermoplastic rubber, grey non-marking

BASE

Type of footing	6 swivel wheels with 3 braked at the front
Wheels diameter	125 mm

COLORS

Box	Volcanic Black

CAPACITY

Slides number (G height)	2 x 21G
Mixed springers: Drawer height 75 mm	42
Mixed springers: ABS tray height 50 mm	56
Mixed springers: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2

COMPOSITION

4 solid ABS lowket tray height 50 (12 lowket tray separator (shorts) and 8 lowket tray separator (longs)) - 12 meshed ABS lowket tray height 100 (24 lowket tray separator (shorts) and 12 lowket tray separator (longs)) - 4 meshed ABS lowket tray height 200 (4 lowket tray separator (shorts) and 4 lowket tray separator (longs))

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S10021-V1

STORAGE CABINET - STOCKALLI M3 - F1200 - WITH SIDE - EQUIPPED V1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	52 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	F1200
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 4 steel shelves F1200



OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S40021-RV1

STORAGE CABINET - STOCKALLI M3 - F400 21G - WITH ABS LOWKET TRAY - EQUIPPED RV1



21G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	22 kg
Total Weight - Pack	40,8 kg

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 1 solid lowket tray height 50 (inclined)
- 5 soldi lowket tray height 100
- 3 meshed lowket tray height 200

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S40021-RV2

CONSUMABLES STORAGE CABINET - STOCKALLI M3 - F400 21G - 30/60 SPECIALITIES - EQUIPPED RV2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	22 kg
Total Weight - Pack	39,7 kg

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 2 soldi lowket tray height 50 (inclined)
- 6 meshed lowket tray height 100
- 2 meshed lowket tray height 200



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S40021-RV3

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - EQUIPPED RV3

WEIGHT - ECO-PERFORMANCE

Weight bare structure	22 kg
Total Weight - Pack	36,4 kg

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2

COMPOSITION

- 7 white shelfs (vegetable fibers) with splashback 30 mm



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S40021-V1

STORAGE CABINET - STOCKALLI M3 - F400 21G - WITH ABS LOWKET TRAY - EQUIPPED V1



21G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	26,8 kg
Total Weight - Pack	44,4 kg

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides in vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 2 solid lowket tray height 50 (inclined)
- 5 solid lowket tray height 100
- 2 meshed lowket tray height 200

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S42021-RV1

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - WITH ABS LOWKET TRAY - EQUIPPED RV1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	41,4 kg
Total Weight - Pack	79,5 kg

DIMENSIONS

Width	94,5 cm
Depth	64,3 cm
Front	2F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 2 solid lowket tray height 50 (inclined)
- 10 solid lowket tray height 100
- 6 meshed lowket tray height 200



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S42021-RV2

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - 30/60 SPECIALITIES - EQUIPPED RV2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	41,4 kg
Total Weight - Pack	76,1 kg

DIMENSIONS

Width	94,5 cm
Depth	64,3 cm
Front	2F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 4 solid lowket tray height 50 (inclined)
- 12 meshed lowket tray height 100
- 4 meshed lowket tray height 200



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S42021-RV3

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - EQUIPPED RV3

WEIGHT - ECO-PERFORMANCE

Weight bare structure	41,4 kg
Total Weight - Pack	70,6 kg

DIMENSIONS

Width	94,5 cm
Depth	64,3 cm
Front	2F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 14 white shelfs (vegetable fibers) with splashback 30 mm



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S60021-RV1

STORAGE CABINET - STOCKALLI M3 - F600 21G - EQUIPPED RV1



21G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	22 kg
Total Weight - Pack	41,1 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 1 solid lowket tray height 50 (inclined)
- 5 meshed lowket tray height 100
- 3 meshed lowket tray height 200

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S60021-RV2

CONSUMABLES STORAGE CABINET - STOCKALLI M3 - F600 21G - 28 SPECIALITIES - EQUIPPED RV2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	22 kg
Total Weight - Pack	33,2 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 3 solid lowket tray height 50 (inclined)
- 4 meshed lowket tray height 100



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S60021-RV3

CONSUMABLES STORAGE CABINET - STOCKALLI M3 - F600 21G - 30/60 SPECIALITIES - EQUIPPED RV3

WEIGHT - ECO-PERFORMANCE

Weight bare structure	22 kg
Total Weight - Pack	39,7 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 2 solid lowket tray height 50
- 6 meshed lowket tray height 100
- 2 meshed lowket tray height 200



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S60021-TV1

CONSUMABLES STORAGE CABINET - STOCKALLI M3 - F600 21G - 10/20 SPECIALITIES - EQUIPPED TV1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	35,4 kg
Total Weight - Pack	52,5 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	69,9 cm
Depth	45,4 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 4 meshed lowket tray height 100
- 4 drawers height 155



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S60021-TV2

CONSUMABLES STORAGE CABINET - STOCKALLI M3 - F600 21G - 10/20 SPECIALITIES - EQUIPPED TV2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	35,4 kg
Total Weight - Pack	48,6 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	69,9 cm
Depth	45,4 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 3 solid lowket tray height 50
- 1 meshed lowket tray height 100
- 3 drawers height 155



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S60021-V1

STORAGE CABINET - STOCKALLI M3 - F600 21G - EQUIPPED V1



21G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	20 kg
Total Weight - Pack	37,8 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2

COMPOSITION

- 1 solid lowket tray height 50 (inclined)
- 5 lowket tray height 100
- 3 lowket tray height 200

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S60021-V2

STORAGE CABINET - STOCKALLI M3 - F600 21G - WITH ABS LOWKET TRAY - EQUIPPED V2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	24,8 kg
Total Weight - Pack	42,4 kg

DIMENSIONS

Width	69,9 cm
Depth	45,4 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides in vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 2 solid lowket tray height 50
- 5 solid lowket tray height 100
- 2 meshed lowket tray height 200



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S62021-RV1

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - WITH ABS LOWKET TRAY - EQUIPPED RV1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	41,5 kg
Total Weight - Pack	76,6 kg

DIMENSIONS

Width	133,9 cm
Depth	46 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 2 solid lowket tray height 50 (inclined)
- 10 meshed lowket tray height 100
- 6 meshed lowket tray height 200



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S62021-RV2

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - 56 SPECIALITIES - EQUIPPED RV2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	41,5 kg
Total Weight - Pack	62,2 kg

DIMENSIONS

Width	133,9 cm
Depth	46 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 6 solid lowket tray height 50 (inclined)
- 8 meshed lowket tray height 100



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S62021-RV3

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - 60/120 SPECIALITIES - EQUIPPED RV3

WEIGHT - ECO-PERFORMANCE

Weight bare structure	41,5 kg
Total Weight - Pack	77,3 kg

DIMENSIONS

Width	133,9 cm
Depth	46 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Top	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 4 solid lowket tray height 50
- 12 meshed lowket tray height 100
- 4 meshed lowket tray height 200



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S62021-TV1

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - 20/40 SPECIALITIES - EQUIPPED TV1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	63,6 kg
Total Weight - Pack	97,7 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 8 meshed lowket tray height 100
- 8 drawers height 155



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S62021-TV2

CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - 20/40 SPECIALITIES - EQUIPPED TV2

WEIGHT - ECO-PERFORMANCE

Weight bare structure	63,6 kg
Total Weight - Pack	90 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 6 solid lowket tray height 50
- 2 meshed lowket tray height 100
- 6 drawers height 155



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

PP-S62021-V1

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - WITH ABS LOWKET TRAY - EQUIPPED V1

WEIGHT - ECO-PERFORMANCE

Weight bare structure	42,8 kg
Total Weight - Pack	77,9 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

COMPOSITION

- 4 solid lowket tray height 50
- 10 solid lowket tray height 100
- 4 meshed lowket tray height 200



21 G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-RY1400R

STOCK'ALLI CABINET F400 - VOLCANIC BLACK - WITHOUT SLIDE



21 G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	20 kg

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

COLORS

Box	Volcanic Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-RY1600R

STOCK'ALLI CABINET F600 - VOLCANIC BLACK - WITHOUT RUNNER

WEIGHT - ECO-PERFORMANCE

Weight bare structure	20 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

COLORS

Box	Volcanic Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29



OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-RY2400R

DOUBLE STOCK'ALLI CABINET F400 - VOLCANIC BLACK - WITHOUT RUNNER

WEIGHT - ECO-PERFORMANCE

Weight bare structure	38 kg

DIMENSIONS

Width	94,5 cm
Depth	64,3 cm
Front	2F400
Height	197,4 cm

TYPE

Type of brake	Individual brake

MATERIAL & COATING

Wheels	Thermoplastic rubber, grey non-marking

BASE

Type of footing	6 swivel wheels with 3 braked at the front
Wheels diameter	125 mm

COLORS

Box	Volcanic Black

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58



OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-RY2600R

DOUBLE STOCK'ALLI CABINET F600 - VOLCANIC BLACK - WITHOUT RUNNER

WEIGHT - ECO-PERFORMANCE

Weight bare structure	38 kg

DIMENSIONS

Width	133,9 cm
Depth	46 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking

BASE

Type of footing	6 swivel wheels with 3 braked at the front
Wheels diameter	125 mm

COLORS

Box	Volcanic Black

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58



OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S10021

STORAGE CABINET - STOCKALLI M3 - F1200 - WITH SIDE



WEIGHT - ECO-PERFORMANCE

Weight bare structure	64 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	F1200
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides in vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

FIRE CLASSIFICATION

Vegetable fibers	D-s2d0

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S10021-MIXTE

MIXED STORAGE CABINET - STOCKALLI M3 - F1200 - WITH SIDE

WEIGHT - ECO-PERFORMANCE

Weight bare structure	49,5 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides in vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	2 x 9G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	18
Sliders: ABS tray height 50 mm	24
Sliders: Shelf for Daily pillboxes medium model height 50 mm	24

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S40021

STORAGE CABINET - STOCKALLI M3 - F400 21G - TO BE EQUIPPED



21G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	20 kg

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S40021-V1

STORAGE CABINET - STOCKALLI M3 - F400 21G - WITH SIDE - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	26,8 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides in vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Colors to choose from in our selection

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S40021-V2

STORAGE CABINET - STOCKALLI M3 - F400 21G - WITH FACING - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	35,1 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	47,2 cm
Depth	64,3 cm
Front	F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S42021

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - TO BE EQUIPPED



21G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	38 kg

DIMENSIONS

Width	94,5 cm
Depth	64,3 cm
Front	2F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S42021-V1

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - WITH SIDE - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	44,8 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	94,5 cm
Depth	64,3 cm
Front	2F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S42021-V2

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - WITH FACING - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	61,2 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	94,5 cm
Depth	64,3 cm
Front	2F400
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S60021

STORAGE CABINET - STOCKALLI M3 - F600 21G - TO BE EQUIPPED



21G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	20 kg

DIMENSIONS

Width	70 cm
Depth	46 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S60021-V1

STORAGE CABINET - STOCKALLI M3 - F600 21G - WITH SIDE - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	24,8 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	69,9 cm
Depth	45,4 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides in vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S60021-V2

STORAGE CABINET - STOCKALLI M3 - F600 21G - WITH FACING - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	35,4 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	69,9 cm
Depth	45,4 cm
Front	F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	4 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	140 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	21
Sliders: ABS tray height 50 mm	28
Sliders: Shelf for Daily pillboxes medium model height 50 mm	29

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0

21G



OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S62021

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - TO BE EQUIPPED



21G

WEIGHT - ECO-PERFORMANCE

Weight bare structure	38 kg

DIMENSIONS

Width	133,9 cm
Depth	46 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S62021-V1

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - WITH SIDE - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	42,8 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Sides in vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Black

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space

Technical specifications

MO-S62021-V2

DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - WITH FACING - TO BE EQUIPPED

WEIGHT - ECO-PERFORMANCE

Weight bare structure	63,6 kg
Plant-based pourcentage (on total weight)	65%
Percentage of recycled material	15%

DIMENSIONS

Width	133,9 cm
Depth	45,4 cm
Front	2F600
Height	197,4 cm

TYPE

Type of brake	Individual brake on the front castors

MATERIAL & COATING

Frame	Welded steel - Volcanic Black Epoxy
Box	Vegetable fibers
Wheels	Thermoplastic rubber, grey non-marking
Internal runner walls / Slides	PA6 with glass fibers

BASE

Type of footing	6 swivel wheels with 2 braked at the front
Wheels diameter	125 mm

TYPE OF ATTACHMENT

Internal runner walls / Slides	Removable slide without tools

SAFETY CHARGE

Maximum admissible load	280 kg

COLORS

Box	Quartz

CAPACITY

Slides number (G height)	2 x 21G
Typ of springers	Sliders
Sliders: Drawer height 75 mm	42
Sliders: ABS tray height 50 mm	56
Sliders: Shelf for Daily pillboxes medium model height 50 mm	58

FIRE CLASSIFICATION

Plastic	M2
Vegetable fibers	D-s2d0



21G

OUR EXCLUSIVES

P20®

HIGHLIGHTS

- P20
- Optimizing space



PORTFOLIO.OPTIONS & COMPOSANTS

Options

WHEEL OPTIONS

CASTOR DIAMETER 125 MM - SINGLE CATOR - ANTISTATIC

OP-M2110600



LANDSCAPING

ADJUSTABLE ACTUATORS (4X) FOR FIXED SHELVING

OP-S3PATIN



LANDSCAPING

TOP COVER FOR STOCKALLI M3 - F600 - QUARTZ COLOR

OP-S61PLAFOND



LANDSCAPING

BOTTOM COVER FOR STOCKALLI M3 - F600 - QUARTZ COLOR

OP-S61FOND



LANDSCAPING

SIDE COVERS FOR CABINET STOCKALLI M3 - F600 - COLOR QUARTZ

OP-S61COTE



LANDSCAPING

BACK COVER FOR CABINET STOCKALLI M3 - F600 - QUARTZ COLOR

OP-S61DOS



LANDSCAPING

TOP COVER FOR DOUBLE CABINET STOCKALLI M3 - 2XF600 - QUARTZ COLOR

OP-S62PLAFOND



LANDSCAPING

BOTTOM COVER FOR DOUBLE CABINET STOCKALLI M3 - 2XF600 - QUARTZ COLOR

OP-S62FOND



LANDSCAPING

BACK COVER FOR DOUBLE CABINET STOCKALLI M3 - 2XF600 - QUARTZ COLOR

OP-S62DOS



LANDSCAPING

TOP COVER FOR TRANSFER CABINET STOCKALLI M3 - F400 - QUARTZ COLOR

OP-S41PLAFOND



LANDSCAPING

BOTTOM COVER FOR TRANSFER CABINET STOCKALLI M3 - F400 - QUARTZ COLOR

OP-S41FOND



LANDSCAPING

SIDE COVERS FOR CABINET STOCKALLI M3 - F400 - COLOR QUARTZ

OP-S41COTE



LANDSCAPING

BACK COVER FOR CABINET STOCKALLI M3 - F400 - QUARTZ COLOR

OP-S41DOS



LANDSCAPING

TOP COVER FOR DOUBLE CABINET STOCKALLI M3 - 2XF400 - QUARTZ COLOR

OP-S42PLAFOND



LANDSCAPING

BOTTOM COVER DOR DOUBLE CABINET STOCKALLI M3 - 2XF400 - QUARTZ COLOR

OP-S42FOND



LANDSCAPING

BACK COVER FOR DOUBLE CABINET STOCKALLI M3 - 2XF400 - QUARTZ COLOR

OP-S42DOS



HANDLES

2 HANDLES AT THE FRONT PANEL - BLACK

OP-POIGNEEFAC



CONTAINER HOLDER

OPTION TELESCOPIC DRAWER FOR ABS LOWKET TRAY FOR STOCKALLI M3 F600 (DRAWER ONLY)

OP-S61TIRTEL



CONTAINER HOLDER

OPTION TELESCOPIC DRAWER FOR ABS LOWKET TRAY FOR STOCKALLI M3 F400 (DRAWER ONLY)

OP-S41TIRTEL



CONTAINER HOLDER

OPTION TELESCOPIC SHELF - FOR STOCKALLI M3 F600

OP-S61ETATEL



CONTAINER HOLDER

OPTION TELESCOPIC SHELF - FOR STOCKALLI M3 F400

OP-S41ETATEL



Composants

STORAGE CABINET

BLACK SHELF LENGTH 1200 MM STEEL

CO-R121505



STORAGE CABINET

VOLCANIC BLACK MAGNETIC SEPARATOR

CO-89019



LIP TRAY

MESHED ABS LOWKET TRAY HEIGHT 200 MM

CO-BAL200AT



LIP TRAY

SOLID ABS LOWKET TRAY HEIGHT 050 MM

CO-BAL50PT



LIP TRAY

SOLID ABS LOWKET TRAY HEIGHT 100 MM

CO-BAL100PT



LIP TRAY

MESHED ABS LOWKET TRAY HEIGHT 100 MM

CO-BAL100AT



LIP TRAY

SAFETY STOP FOR WHITE LOWKET TRAY

CO-BA



LIP TRAY SLIDES

SET OF 2 WHITE TILTING SLIDES FOR LOWKET TRAYS F0400

CO-GI4



LIP TRAY SLIDES

SET OF 2 WHITE SLIDES FOR LOWKET TRAYS F0400

CO-G4



LIP TRAY SLIDES

SET OF 2 WHITE SLIDES FOR LOWKET AND DAILY PILLBOX TRAYS F0600

CO-GB6



LIP TRAY SLIDES

SET OF 2 WHITE SLIDES FOR LOWKET AND DAILY PILLBOX TRAYS F0600

CO-GB6



LIP TRAY SLIDES

SET OF 2 WHITE TILTING SLIDES FOR LOWKET AND DAILY PILLBOX TRAYS F0600

CO-GBI6



LIP TRAY SLIDES

SET OF 2 WHITE TILTING SLIDES FOR LOWKET AND DAILY PILLBOX TRAYS F0600

CO-GBI6



LIP TRAY SLIDES

SET OF 2 WHITE TILTING SLIDES FOR LOWKET TRAYS F0400 (CHANGE OF MODALLI AND LOGIST'ALLI RIGHT ...

CO-GI4C



LIP TRAY SLIDES

SET OF 2 WHITE TILTING SLIDES FOR LOWKET TRAYS F0600 (CHANGE OF MODALLI AND LOGIST'ALLI RIGHT ...

CO-GBI6C



LIP TRAY COMBS

LOWKET TRAY SEPARATOR - HEIGHT 200 MM - LONG MESHED

CO-PL200AT



LIP TRAY COMBS

LOWKET TRAY SEPARATOR - HEIGHT 200 MM - SHORT MESHED

CO-PC200AT



LIP TRAY COMBS

LOWKET TRAY SEPARATOR - HEIGHT 100 MM - LONG MESHED

CO-PL100AT



LIP TRAY COMBS

LOWKET TRAY SEPARATOR - HEIGHT 100 MM - LONG SOLID

CO-PL100PT



LIP TRAY COMBS

LOWKET TRAY SEPARATOR - HEIGHT 100 MM - SHORT MESHED

CO-PC100AT



LIP TRAY COMBS

LOWKET TRAY SEPARATOR - HEIGHT 100 MM - SHORT SOLID

CO-PC100PT



Composants

LIP TRAY COMBS

LOWKET TRAY SEPARATOR - HEIGHT 050 MM - SHORT SOLID

CO-PC50PT



LIP TRAY COMBS

LOWKET TRAY SEPARATOR - HEIGHT 050 MM - LONG SOLID

CO-PL50PT



LIP TRAY COMBS

CLIP FOR DIVIDER TRAY SEPARATORS - WHITE

CO-CTP



LABEL HOLDER / LABEL HOLDER ...

LABEL HOLDER FOR LOWKET TRAY (X50)

CO-M24534VB



LABEL HOLDER / LABEL HOLDER ...

WHITE VERTICAL LOWKET TRAY LABEL HOLDER (X10)

CO-M77816VB



LABEL HOLDER / LABEL HOLDER ...

LOWKET TRAY LABEL HOLDER (FRENCH PAPER SIZE: CAVALIER) (X10)

CO-M77817



LABEL HOLDER / LABEL HOLDER ...

VERTICAL LABEL HOLDER (X50)

CO-M77937V



LABEL HOLDER / LABEL HOLDER ...

VERTICAL BLUE LABEL HOLDER (X50)

CO-M77938V



LABEL HOLDER / LABEL HOLDER ...

HORIZONTAL WHITE LABEL HOLDER (X50)

CO-M77937



LABEL HOLDER / LABEL HOLDER ...

HORIZONTAL BLUE LABEL HOLDER (X50)

CO-M77938



DRAWER

DRAWER EQUIPMENT FOR WHITE HANGING FILES

CO-M21022MC



DRAWER

WHITE DRAWER HEIGHT 235

CO-M24504MC



DRAWER

WHITE DRAWER HEIGHT 155

CO-M24503MC



DRAWER

WHITE DRAWER HEIGHT 075

CO-M24502MC



TOXIC DRAWER

MECHANICAL DIGICODE FOR NARCOTICS DRAWER

OP-DIGIA152



TOXIC DRAWER

WHITE NARCOTICS DRAWER WITH DOOR AND MECHANICAL LOCK HEIGHT 155

CO-M21046MC



TOXIC DRAWER

WHITE NARCOTICS DRAWER WITH DOOR AND MECHANICAL LOCK HEIGHT 235

CO-M21047MC



TOXIC DRAWER

WHITE NARCOTICS DRAWER WITH DOOR AND MECHANICAL LOCK HEIGHT 075

CO-M21045MC



TOXIC DRAWER

MASTER KEY FOR NARCOTIC DRAWER

OP-PASSPM05



DRILLED DRAWER

DRILLED DRAWER: WHITE NARCOTICS DRAWER LIDS WITH HINGES AND BACK LEGS

CO-M77873



DRILLED DRAWER

DRILLED DRAWER: WHITE NARCOTICS DRAWER LIDS WITHOUT HINGES, WITH BACK LEGS

CO-M77875



Composants

DRAWER SLIDES

SET OF 2 WHITE SLIDES FOR DRAWERS F0600

CO-GT6



DRAWER SLIDES

SET OF 2 WHITE TILTING SLIDES FOR DRAWERS F0600

CO-GTI6



DRAWER SLIDES

SET OF 2 WHITE TILTING SLIDES FOR DRAWERS F0600 (CHANGE OF MODALLI AND LOGIST'ALLI RIGHT SLIDE ...

CO-GTI6C



DRAWER COMBS

WHITE SEPARATOR DRAWER - - HEIGHT 235 - LONG

CO-M46027F6



DRAWER COMBS

WHITE SEPARATOR DRAWER - - HEIGHT 235 - SHORT

CO-M46028F6



DRAWER COMBS

WHITE SEPARATOR DRAWER - - HEIGHT 075 - LONG

CO-M46034F6



DRAWER COMBS

WHITE SEPARATOR DRAWER - - HEIGHT 075 - SHORT - PETER'S SPECIAL

CO-PCP0570



DRAWER COMBS

WHITE SEPARATOR DRAWER - - HEIGHT 155 - LONG

CO-M46029F6



DRAWER COMBS

WHITE SEPARATOR DRAWER - - HEIGHT 075 - SHORT

CO-M46035F6



DRAWER COMBS

WHITE SEPARATOR DRAWER - - HEIGHT 155 - SHORT

CO-M46030F6



DRAWER BIN

WHITE DRAWER DIVIDER BIN 075 1/2

CO-M77888



DRAWER BIN

WHITE DRAWER DIVIDER BIN 155 1/4

CO-M24508MC



DRAWER BIN

WHITE DRAWER DIVIDER BIN 155 1/2

CO-M77889



DRAWER BIN

WHITE DRAWER DIVIDER BIN 075 1/6

CO-M24506MC



DRAWER BIN

WHITE DRAWER DIVIDER BIN 075 1/4

CO-M24507MC



SEPARATION BIN

WHITE DRAWER DIVIDER HEIGHT 120 1/6 WITH SMOOTH HANDLE

CO-M24523MPL



SEPARATION BIN

WHITE DRAWER DIVIDER HEIGHT 120 1/6 WITH HANDLE

CO-M24523MP



SEPARATION BIN

WHITE DRAWER DIVIDER HEIGHT 155 1/2

CO-M77887



SEPARATION BIN

WHITE DRAWER DIVIDER HEIGHT 075 1/2

CO-M77886



SEPARATION BIN

WHITE DRAWER DIVIDER HEIGHT 155 1/4 L

CO-M24522MC



SEPARATION BIN

WHITE DRAWER DIVIDER HEIGHT 075 1/6 WITH HANDLE

CO-M24509MP



Composants

SEPARATION BIN

WHITE DRAWER DIVIDER HEIGHT 075 1/4 L WITH HANDLE

CO-M24510MP



SEPARATION BIN

WHITE DRAWER DIVIDER HEIGHT 075 1/4

CO-M24510MC



SEPARATION BIN

WHITE DRAWER DIVIDER HEIGHT 075 1/4 L

CO-M24512MC



SEPARATION BIN

WHITE DRAWER DIVIDER HEIGHT 155 1/6

CO-M24523MC



SEPARATION BIN

WHITE DRAWER DIVIDER HEIGHT 155 1/4

CO-M24511MC



SEPARATION BIN

WHITE DRAWER DIVIDER HEIGHT 075 1/6

CO-M24509MC



DIVIDERS

MOBILE WHITE SEPARATOR HEIGHT 075 1/6

CO-M24513MC



DIVIDERS

MOBILE WHITE SEPARATOR HEIGHT 075 1/4

CO-M24514MC



DIVIDERS

CONNECTING BAR FOR WHITE MOBILE SEPARATOR (TRAY SEP.)

CO-M24526MC



DIVIDERS

MOBILE WHITE SEPARATOR HEIGHT 155 1/4

CO-M24515MC



DIVIDERS

MOBILE WHITE SEPARATOR HEIGHT 155 1/6

CO-M24525MC



DIVIDERS

CONNECTING BAR FOR WHITE MOBILE SEPARATOR

CO-M24530MC



DIVIDERS

WHITE MOBILE SEPARATOR HEIGHT 120 1/6 FOR DRAWER DIVIDER 120/6 WITH HANDLE

CO-M24525MS



SUBDIVISION BIN

WHITE SUBDIVISION BOX - HEIGHT 155 1/8

CO-M24620MC



SUBDIVISION BIN

WHITE SUBDIVISION BOX - HEIGHT 075 1/18

CO-M24615MC



SUBDIVISION BIN

WHITE SUBDIVISION BOX - HEIGHT 075 1/12

CO-M24617MC



SUBDIVISION BIN

WHITE SUBDIVISION BOX - HEIGHT 075 1/8

CO-M24618MC



LABEL HOLDER / DRAWER LABEL ...

WHITE CARD LABEL HOLDER - LENGTH 160 (X100)

CO-M77915



LABEL HOLDER / DRAWER LABEL ...

WHITE CARD LABEL HOLDER - LENGTH 160 (X100)

CO-M77915



LABEL HOLDER / DRAWER LABEL ...

WHITE CARD LABEL HOLDER - 2 SLOTS - LENGTH 80 (X100)

CO-M77906



LABEL HOLDER / DRAWER LABEL ...

WHITE CARD LABEL HOLDER - 2 SLOTS - LENGTH 80 (X100)

CO-M77906



Composants

LABEL HOLDER / DRAWER LABEL ...

WHITE CARD LABEL HOLDER - 1 SLOT - LENGTH 40 (X100)

CO-M77905



LABEL HOLDER / DRAWER LABEL ...

WHITE CARD LABEL HOLDER - 1 SLOT - LENGTH 40 (X100)

CO-M77905



LABEL HOLDER / DRAWER LABEL ...

WHITE UNIVERSAL VERTICAL LABEL HOLDER (X10)

CO-M77816V



LABEL HOLDER / DRAWER LABEL ...

WHITE UNIVERSAL VERTICAL LABEL HOLDER (X10)

CO-M77816V



LABEL HOLDER / DRAWER LABEL ...

WHITE UNIVERSAL HORIZONTAL LABEL HOLDER (X10)

CO-M77816



LABEL HOLDER / DRAWER LABEL ...

WHITE UNIVERSAL HORIZONTAL LABEL HOLDER (X10)

CO-M77816



LABEL HOLDER / DRAWER LABEL ...

VERTICAL LABEL HOLDER (X50)

CO-M24534V



LABEL HOLDER / DRAWER LABEL ...

VERTICAL LABEL HOLDER (X50)

CO-M24534V



LABEL HOLDER / DRAWER LABEL ...

HORIZONTAL LABEL HOLDER (X50)

CO-M24534MZ



LABEL HOLDER / DRAWER LABEL ...

HORIZONTAL LABEL HOLDER (X50)

CO-M24534MZ



LABEL HOLDER / DRAWER LABEL ...

LABEL HOLDER FOR DRAWER 1/6

CO-M24610MZ



LABEL HOLDER / DRAWER LABEL ...

LABEL HOLDER FOR DRAWER 1/6

CO-M24610MZ



LABEL HOLDER / DRAWER LABEL ...

LABEL HOLDER FOR DRAWER 1/4

CO-M24611MZ



LABEL HOLDER / DRAWER LABEL ...

LABEL HOLDER FOR DRAWER 1/4

CO-M24611MZ



LABEL HOLDER / DRAWER LABEL ...

LABEL HOLDER FOR DRAWER 1/2

CO-M77815



LABEL HOLDER / DRAWER LABEL ...

LABEL HOLDER FOR DRAWER 1/2

CO-M77815



LABEL HOLDER / DRAWER LABEL ...

WHITE LABEL HOLDER 80 X 50 MM

CO-M24535SZ



LABEL HOLDER / DRAWER LABEL ...

WHITE LABEL HOLDER 80 X 50 MM

CO-M24535SZ



DRAWER LABELS

BLUE LABELS (X5)

CO-M77826



DRAWER LABELS

YELLOW LABELS (X5)

CO-M77825



DRAWER LABELS

RED LABELS (X5)

CO-M77827



Composants

DRAWER LABELS

GREEN LABELS (X5)

CO-M77828



DRAWER LABELS

WHITE LABELS FOR SUBDIVISION BOX

CO-M24532MC



ABS SHELVES

WHITE FILE SHELF F0600 (14 SPACES)

CO-M77899



ABS SHELVES

WHITE SOLUTION SHELF F0600 - LOADING CAPACITY 35 KGS

CO-M24505MS



ABS SHELVES

STANDARD WHITE SHELF F0600

CO-M24505MC



ABS SHELVES

PACK SHELF BT 75 - 4 DRAWER DIVIDER BIN 75 1/4 - 12 MOBILE SEPARATOR - 4 LABEL HOLDER 1/4

PP-PETA-BT75-16



ABS SHELVES

PACK DRAWER 155 - 4 DRAWER DIVIDER 155 1/4 - 4 MOBILE SEPARATOR - 4 CONNECTING BARS FOR MOBILE ...

PP-PTIR155-14-8



ABS SHELVES

PACK DRAWER 155 - 4 DRAWER DIVIDER 155 1/4 - 8 MOBILE SEPARATOR - 4 CONNECTING BARS FOR MOBILE ...

PP-PTIR155-14-12



ABS SHELVES

PACK DRAWER 155 - 6 DRAWER DIVIDER 155 1/6 - 6 MOBILE SEPARATOR - 6 CONNECTING BARS FOR MOBILE ...

PP-PTIR155-16-12



ABS SHELVES

PACK DRAWER 155 - 6 DRAWER DIVIDER 155 1/6 - 12 MOBILE SEPARATOR - 6 CONNECTING BARS FOR MOBILE ...

PP-PTIR155-16-18



ABS SHELVES

PACK DRAWER 75 - 6 DRAWER DIVIDER 75 1/6 - 18 MOBILE SEPARATOR

PP-PTIR75-16-24



ABS SHELVES

PACK DRAWER 75 - 4 DRAWER DIVIDER 75 1/4 - 12 MOBILE SEPARATOR

PP-PTIR75-14-16



ABS SHELVES

PACK DRAWER 75 - 4 DRAWER DIVIDER 75 1/4 - 16 MOBILE SEPARATOR

PP-PTIR75-14-20



ABS SHELVES

PACK DRAWER 235 - 2 DRAWER DIVIDER 155 1/2

PP-PTIR235-12-2



ABS SHELVES

PACK SHELF BT 155 - 4 DRAWER DIVIDER BIN 155 1/4 - 8 MOBILE SEPARATOR - 4 CONNECTING BARS - 4 L ...

PP-PETA-BT155-14



SHELVES IN COMPACT

WHITE SHELF TRESPA F0400 WITH SPLASHBACK 150 MM

CO-M77936



SHELVES IN COMPACT

WHITE SHELF TRESPA F0400 WITH SPLASHBACK 030 MM

CO-M77935



SHELVES IN COMPACT

SHELF TRESPA F600

CO-M77884



SHELVES IN COMPACT

WHITE SHELF TRESPA F0400 WITHOUT SPLASHBACK

CO-R041810



DEDICATED SHELVES

WHITE PROBE HOLDER SHELF F0600

CO-M24505MP



METAL SHELVES

LONG STEELLIC SHELF FOR DRESSING TROLLEY (P0598)

CO-ETAGLMET



Composants

METAL SHELVES

SHORT STEELLIC SHELF FOR DRESSING TROLLEY (P0598)

CO-ETAGCMET



SHELF LABEL HOLDER / LABEL H ...

LABEL HOLDER FOR LAMINATED RESIN SHELF

CO-M77907



PILLBOX TRAY SET

SET OF 7 DAILY PILLBOXES TRAYS - LARGE MODEL

CO-MEC70002



PILLBOX TRAY SET

SET OF 7 DAILY PILLBOXES TRAYS - MEDIUM MODEL

CO-MEC70001



PILLBOX TRAY SET

WHITE DAILY PILLBOX TRAY

CO-MEC70003



PILLBOX TRAY SET

WHITE OPENING SYSTEM

CO-SOBJ



DAILY BAC

MOBILE SEPARATOR - MEDIUM MODEL

CO-MEC70008



DAILY BAC

MOBILE SEPARATOR - LARGE MODEL

CO-MEC70009



DAILY BAC

DAILY PILLBOXES TRAY - LARGE MODEL

CO-MEC70012



DAILY BAC

DAILY PILLBOXES TRAY - MEDIUM MODEL

CO-MEC70011



DAILY BAC

PILULIER SEUL WITH COUVERCLE FOR DRAWERS JOINTIFS

CO-MED038



SET 8 PILLBOXES

SET OF 8 DAILY PILLBOXES TRAYS - MAUVE

CO-M77900MA



SET 8 PILLBOXES

PLUMIER TRAY - MAUVE

CO-M77904MA



SET 8 PILLBOXES

PLUMIER PILL ORGANIZER - MAUVE

CO-M77902MA



SET 8 PILLBOXES

SEPARATOR FOR PLUMIER PILL ORGANIZER (GREEN OR MAUVE)

CO-M77903



SET 8 PILLBOXES

SET OF 8 DAILY PILLBOXES TRAYS - GREEN

CO-M77900VE



SET 8 PILLBOXES

PLUMIER PILL ORGANIZER - GREEN

CO-M77902VE



SET 8 PILLBOXES

PLUMIER TRAY - GREEN

CO-M77904VE



SET 8 PILLBOXES

PLUMIER PILL ORGANIZER WITHOUT HANDLE - MAUVE

CO-M77902MA-SP



SET 8 PILLBOXES

PLUMIER PILL ORGANIZER WITHOUT HANDLE - GREEN

CO-M77902VE-SP



LABEL HOLDER / LABEL HOLDER ...

DAILY PILLBOX TRAY LABEL HOLDER - MEDIUM MODEL (X50)

CO-MEC80020



Composants

LABEL HOLDER / LABEL HOLDER ...

DAILY PILLBOX TRAY LABEL HOLDER - LARGE MODEL (X50)

CO-MEC80021



LABELS FOR PILL BOX

SET OF 35 SHEETS OF 24 LABELS FOR 8 DAILY PILLBOXES TRAYS (COLORS: PANACHES)

CO-M77901



LABELS FOR PILL BOX

SELF-ADHESIVE LABELS - MEDIUM MODEL - 200 SHEETS OF 27 LABELS (5400 LABELS)

CO-MEZ80020



LABELS FOR PILL BOX

SELF-ADHESIVE LABELS - LARGE MODEL - 200 SHEETS OF 18 LABELS (3600 LABELS)

CO-MEZ80021



LABELS FOR PILL BOX

SELF-ADHESIVE LABELS - MEDIUM MODEL - 50 SHEETS OF 27 LABELS (1350 LABELS)

CO-MEZ8002001



LABELS FOR PILL BOX

SELF-ADHESIVE LABELS - LARGE MODEL - 50 SHEETS OF 18 LABELS (0900 LABELS)

CO-MEZ8002101



CASSETTE

HANDLE FOR CASSETTE X2

OP-POIGNEECA



CASSETTE

WHITE CASSETTE WITH DOOR, LOCK SYSTEM AND 2 HANDLES - 3-LEVEL

CO-M24627MC



CASSETTE

WHITE CASSETTE WITH DOOR, LOCK SYSTEM AND 2 HANDLES - 2 SPECIAL LEVEL

CO-M24627MS



CASSETTE

WHITE CASSETTE WITH DOOR AND LOCK SYSTEM - 3-LEVEL

CO-M24626MC



CASSETTE

WHITE CASSETTE WITH DOOR, LOCK SYSTEM AND 2 HANDLES - 2-LEVEL

CO-M24624MC



CASSETTE

WHITE CASSETTE WITH DOOR AND LOCK SYSTEM - 2-LEVEL

CO-M24623MC



CASSETTE

WHITE CASSETTE WITH DOOR AND LOCK SYSTEM - 1-LEVEL

CO-M24623MS



CASSETTE

WHITE CASSETTE WITHOUT DOOR - 2-LEVEL

CO-M24622MC



CASSETTE

WHITE CASSETTE WITHOUT DOOR - 3-LEVEL

CO-M24625MC



CASSETTE

WHITE CASSETTE WITH DOOR, LOCK SYSTEM AND 2 HANDLES - 1-LEVEL

CO-M24624MS



CASSETTE

MASTER KEY FOR CASSETTE ALLIBERT MEDICAL

OP-PASSP03



Preventive maintenance tailored to your needs

The maintenance of medical devices is not only a **technical obligation**, but also a **legal** and regulatory responsibility of the organisation.

It is based on:

- A clear policy
- Traceability procedures
- The use of compliant parts
- And staff training



The advantages of preventive maintenance



THE BENEFITS OF REGULAR MAINTENANCE OF YOUR EQUIPMENT

- Improved performance: maximum fleet availability.
- Improved quality: a reliable and continuous service.
- Lower costs: reduced repair costs.
- Fewer breakdowns: continuity guaranteed.



EXTEND THE LIFESPAN OF YOUR EQUIPMENT & ENSURE SAFETY

Our maintenance programmes are designed to:
- Ensure your equipment performs to its full potential.
- Provide regular checks and reliable diagnostics.
- Safeguard the safety of patients, residents and carers.
- Maintain your organisation’s regulatory compliance.



A BUDGET UNDER CONTROL

Our maintenance solutions help you to:
- Plan your expenditure.
- Avoid unexpected costs.
- Optimise your investments with complete transparency.



CERTIFIED COMPONENTS FOR SUSTAINABLE VIABILITY

All our services are carried out using original parts that have been tested and approved, guaranteeing:
- Maximum safety when using your equipment.
- Strict compliance with regulatory standards.
- The durability and reliability of your beds, mattresses and accessories.

Our preventive maintenance services



A SINGLE POINT OF CONTACT FOR A COMPREHENSIVE SOLUTION

From pre-sales to after-sales, we support you every step of the way.

Through a **detailed analysis** of your needs, we provide **tailored technical support**, based on a **long-term** and **effective** partnership.

EXPERTS AT YOUR SIDE

Our technicians and engineers, who receive regular training in the latest innovations, guarantee you:
- A responsive, high-quality service.
- Professional installation of your equipment.
- Comprehensive training for your teams, delivered directly on-site.

OUR TECHNICIANS CARRY OUT A FULL INSPECTION

- Mechanical inspection: assembly, joints, brakes, locking mechanisms.
- Electrical inspection: components, controls, sensors.
- Safety features: barriers, locking systems, protective devices.
- Lubrication: re-greasing of all pivot points.
- Electrical tests: carried out in accordance with current standards.

Each operation (inspection, adjustment, replacement) is recorded in the technician’s maintenance report.

RENOVATION OF THE PARK

Following the visit, our preventive maintenance team will email you the **maintenance report** completed for each piece of equipment.
The **service reports** are sent to your HAcare contact, who will draw up the necessary quotes for repairs or replacements.

This provides you with **comprehensive** and **transparent** tracking of the **maintenance** of your equipment fleet.

The result: a clear and traceable process that guarantees the safety, compliance and availability of your equipment. Translated with DeepL.com (free version)

ALLIBERT MÉDICAL

ZAC de Fourquevaux, 100 avenue du Formans
01600 - TRÉVOUX, FRANCE

Tél +33 (0)4 74 08 71 71
export@hacare.com

Sales in the French Overseas Departments and Communities (DROM-COM)
f.milloux@hacare.com
06 25 83 86 00

International Export Department
export@hacare.com
+33 (0)4 74 08 71 71

Sales assistant
export@hacare.com
+33 (0)4 74 08 71 71

HAcare

MEDICAL

1860

MKT-26-PO-HOP-LH-TSE-ART-SARM-EN
2026