HOSPITAL



OUTPATIENT SURGERY BEDS SIDE RAILS (TECH) - MATTRESS - REMOVABLE HEADREST - AMB7 LCA (CLAVIA)

SOFT SOUND® · EASY MOV'® · SMART HEAD REST® · TECH+ SIDE RAILS®

Day care unit - Outpatient surgery

greenly 2024 Or Climate Strategy Rating TOP 5%

MKT-26-PO-HOP-AMB-CA-FCA-AMLCA-EN 21/11/2026

Summary

HAcare, specialist in medical devices since 1860. 3

HAcare Group's eco-responsible commitments 4

Choose the circular economy 5

Recyclable materials 6

Certifications 7

Outpatient surgery beds Hospital Outpatient surgery 8

Our exclusives

- Soft Sound 10
- Easy MOV 11
- Ophthalmologic headrest 12
- Tech + side guards 13

Highlights

- Designed for outpatient surgery (Equipment) 15
- Universal double-sided technical rail (Universal support) 16
- Optimize the treatment area (Easy Clip) 17
- Facilitate maintenance (Interchangeability) 18
- The QR Code for accessing all information (Traceability) 19

Characteristics

- Side guards 21
- Mobility 22
- Controls 23
- Pre-programmed functions 24
- Safety 25
- Lying surface ..... 26 - 27

Technical specifications 28

Options & Accessories 32

Preventive maintenance tailored to your needs 35

The advantages of preventive maintenance 36

Our preventive maintenance services 37



HAcare, specialist in medical devices since 1860.

At HAcare, we design, manufacture and distribute medical devices and innovative, durable medical furniture solutions designed to improve the daily lives of patients and healthcare professionals alike.











The HAcare Group's eco-responsible commitments

The HAcare group commits to an **eco-responsible industrial orientation**

In its sustainable development strategy, the HAcare group has defined a list of **6 commitments** that guide its **actions and decisions** since the group's creation and for the years to come.

Indicators have been set up for each commitment.

Our 6 commitments

- Made in France production
- The use of renewable resources
- Integrating the circular economy into all new product developments
- Responsible purchasing (supplier quality monitoring)
- Daily actions to respect and protect the environment
- Combating RSI and noise pollution through our products

Choose the circular economy



HAcare finished products can be recycled through a recovery circuit at the end customer's premises, for recycling with our partner supplier. As wood cannot be recycled ad infinitum because its fibers become too small or exhausted, wood waste is recovered and transformed into green energy.



The plant fiber boards used in the manufacture of HAcare products are 100% reclaimed wood. Each HAcare finished product bears an index revealing the proportion of plant fiber contained.



Recycling is the practice of recovering used materials from the waste stream, then incorporating these same materials into the manufacturing process. Each HAcare finished product carries an index revealing the proportion of recycled material it contains.



Recyclable materials

HAcare finished products are 95% recyclable. For example, the HAcare medical bed is entirely recyclable, except for the wheels and motors. Each bed can be dismantled to recover each material separately: plant fiber, metal, plastic.

PLANT FIBER



Recycled wood

The plant fiber boards used in the manufacture of HAcare Group products are:

100% reused wood

Reuse is one of the environmentally friendly processes. It involves, for example, leftovers from wood-processing companies (e.g. sawmill scraps, production offcuts...). But also by-products from activities such as sustainable forest management and slope maintenance.

100% FSC-certified wood

Recyclable with a partner supplier who, on a worldwide exclusive basis and since 2021, recycles MDF and HDF panels.No water consumption, nor green energy **biomass**.



The metal

All metal components are **recyclable** and reusable, **infinitely**. Once the metal has been sorted, it is compressed, crushed, rolled and melted. It is then remolded into coils, bars or wire for reuse. This process can be endless!

Metal recycling has **many advantages**. It conserves natural resources by reducing the need for virgin materials, cuts energy consumption and reduces **greenhouse gas emissions**.



Recycled plastic

At recycling plants, waste (re) becomes a **raw material** through various processes: grinding, micronization, regeneration of plastics.

The recycled plastic will then be resold to **plasturgy** manufacturers in the form of **flakes**, powder or even **granules**.

Certifications



MANAGEMENT AND CUSTOMER SATISFACTION
ISO 9001

MEDICAL DEVICE
ISO 13485

GOLD | Top 5%
ecovadis
Sustainability Rating
MAY 2026

greenly
2024
Or
Climate Strategy Rating
TOP 5%

OUTPATIENT SURGERY BEDS HOSPITAL

Outpatient surgery

Side rails (TECH) - Mattress - Removable Headrest - AMB7 LCA (CLAVIA)





OUR EXCLUSIVES

OUR EXCLUSIVES

Soft Sound

Over the past 40 years, the average noise level in hospitals has increased by 15 decibels (dB), reaching levels of around 70 dB, well above the WHO recommended limit of 35 dB for a healthcare environment. HAcare products are designed to combat noise pollution.The goal is to reduce noise by 20 dB by adding shock absorbers to all rolling and stretcher-mounted structures.

SOFT SOUND®

Combating noise pollution

Anti-vibration support, **high-performance shock absorber**: for **smooth**, **quiet**, and **comfortable transport**, even when crossing thresholds or exiting elevators.**Noise pollution is significantly reduced.**



OUR EXCLUSIVES

Easy MOV

In a hospital environment where every action counts, protecting the health of caregivers while ensuring patient safety is essential. Stretcher transport, an activity with a high risk of MSDs due to repeated exertion and awkward postures, requires appropriate solutions. Designed to reduce strain and optimize movement, our medical devices become true everyday allies, improving comfort, ergonomics, and quality of life at work.

Combating musculoskeletal disorders

Its **ergonomic, retractable handles, dual wheels** , and **synchronized fifth steering wheel** optimize maneuverability.
Its **two shock-resistant corner guards** and **integrated shock absorbers** absorb impacts.



OUR EXCLUSIVES

Ophthalmologic headrest

In specialized outpatient care and surgery, accuracy, comfort, and speed of installation are essential. Devices must allow the patient's posture to be adjusted safely, while offering caregivers quick and easy setup, without wasting time between consultations or examinations. Optimized ergonomics enhance team efficiency and ensure a better care experience.

SMART HEAD REST®

Removable “Métier” headrest

Suitable for **ophthalmic** and **dental care**, the **removable headrest** can be quickly attached using the **EasyClip** system. Its cushion, held in place by a magnetic system, can be easily replaced without tools.



OUR EXCLUSIVES

Tech + side guards

In outpatient care, every detail counts: equipment must combine patient autonomy, lasting comfort, and ergonomics for caregivers. Solutions that integrate intuitive controls, quick adjustments, and handling assistance simplify daily tasks, reduce fatigue, and enhance safety. The result: time saving for teams and a smoother, more peaceful care experience for patients.

TECH+ Side Rails with integrated controls

Autonomy and comfort for **patients**, ergonomics and **responsiveness** for **caregivers**. Easy to access and assisted, they **facilitate every movement**, even during intensive use.





HIGHLIGHTS

Designed for outpatient surgery (Equipment)



Optimized for outpatient surgery, this bed makes everyday life easier for caregivers.

Its **dual-sided centralized brake pedal** completely frees up the rear of the bed for easier access during care.

The **variable height control**, located at the rear and operated **by foot**, allows hands to remain free to focus on the patient.

The **removable headrests** can be adapted to the needs of practitioners.

The **2-position Tech side rails** with **assistance** reduce effort and ensure safety during each maneuver. A real time saver and comfort boost for teams.

Universal double-sided technical rail (Universal support)



To meet the requirements for versatility and practicality in healthcare environments, our outpatient care bed is equipped with a **universal bilateral support** integrated directly into the backrest. This technical rail, **compatible** with standard medical accessories, allows for easy and safe installation of the **devices needed for** patient **care** (pumps, poles, supports, etc.).

Placed as close as possible to the patient, this solution **optimizes the organization** around the bed, **facilitates** daily **care**, and **limits** unnecessary **movement**. This results in greater efficiency for caregivers and improved safety for the patient.

Optimize the treatment area (Easy Clip)



EASY CLIP

With the **EasyClip®** concept, you can work more efficiently and comfortably. This **intuitive**, **tool-free**, effortless **attachment** system makes it easy to **position**, move, or remove **accessories**. EasyClip® is **fully customizable** and adapts to the specific needs of each patient, regardless of the type of condition.

Facilitate maintenance (Interchangeability)



INTER CHANGEABILITY

Our equipment has been designed to make everyday life easier for caregivers and technical teams: the **components** are **fully interchangeable without tools**, allowing for quick, safe, and hassle-free adjustments.
The **motors can be unclipped** without touching the wiring, which significantly reduces technical interventions and the risk of error.

This ingenious design **simplifies and speeds up after-sales service**, with a clear objective: to minimize equipment downtime, ensure continuity of care, and optimize the availability of your equipment.

The QR Code for accessing all information (Traceability)



The **QR Code,** found on each product, provides **access to key information** such as the product's destination, instructions for use, eco-responsibility, technical data sheets, installation assistance, etc.

This information is stored on our **SavTech** platform and **can be accessed** by scanning the QR Code.



CHARACTERISTICS

CHARACTERISTICS

Side guards



Patient safety, caregiver comfort

Discreet when folded, the **Tech 2-position side rails** are integrated **under the sleeping surface**. They unfold easily to provide **optimal side protection** for the patient, particularly during rest periods, prolonged care, or transfers.

Their **ergonomic design** allows for smooth and quick installation, with a handling **assistance system** that reduces physical effort for caregivers. This feature is particularly valuable during repeated daily use, helping to **prevent musculoskeletal disorders** while optimizing care times.

Side Rails also facilitate patient positioning and transfer, ensuring **enhanced stability** without compromising accessibility, particularly for **patients with reduced mobility** or who are dependent on others.



TECH+ Side Rails with integrated controls

Tech+ side rails directly integrate the chair's **preprogrammed controls** for intuitive and efficient use.
On the patient side, they allow for **independent** control of the backrest, leg rest, and Variable height, ensuring comfort and well-being at all times.
For caregivers, they provide access to essential functions, **in addition** to those dedicated to the patient, such as **Reverse Trendelenburg** and **CPR positions**, ensuring optimal responsiveness during care and emergency situations.
Easy to access and designed with a handling **assistance system**, they reduce effort, improve ergonomics, and offer lasting comfort, even with intensive use. The result: a perfect balance between patient autonomy, team efficiency, and enhanced safety.

CHARACTERISTICS

Mobility



Mobility adapted to intensive use

Because travel is frequent and sometimes over long distances—outpatient care services, hospitals, dialysis centers—we offer **150 mm** diameter **wheels**, designed to provide smoother **rolling**, even on uneven surfaces or during more intensive stretcher transport.

A fifth central **steering and synchronized wheel** improves directional stability and facilitates **maneuverability** in narrow corridors or when turning, thereby reducing the effort required by nursing staff.

This choice of configuration allows each facility to customize the level of mobility according to its specific constraints, while ensuring **safety**, **comfort**, and logistical **efficiency**.



Smooth and ergonomic handling: effortless steering, lasting comfort

To meet the demands of transport in healthcare environments, our chair is equipped with **ergonomic push handles**, specially designed to **facilitate guidance** and reduce fatigue for caregivers, even during frequent movements or on difficult floors.

Combined with the Soft Sound system, these handles provide **optimal maneuverability**, ensuring **stable**, **smooth**, and **quiet movement**, even with a patient seated. Their design takes into account the realities of everyday hospital life: less effort, more control, whatever the conditions.

They offer a **large grip area** and a natural grip, suitable for all body types. This ergonomic design has been conceived to **limit the risk of musculoskeletal disorders** (MSDs) by preserving the movements and postures of healthcare staff.

Controls



The ergonomic remote control

Comfort position in one simple step:

This simple maneuver facilitates the caregiver's work and helps optimize time during the caregiver-patient relationship. **Nursing**
position in one simple step:

This control prevents caregivers from bending down when caring for patients and effectively combats MSDs.

Decline position in one simple step
Ensure safe emergency care and patient comfort with **a safety key** for the **decline function** and direct and simplified access to the Trendelenburg and Reverse Trendelenburg positions.
This provides time saving for caregivers and improves responsiveness on a daily basis.



Emergency Reverse Trendelenburg at the foot

Because certain situations require a **rapid** and uncompromising **response**, our bed can be equipped with an **emergency foot pedal**. Placed within easy reach of the caregiver, this control allows the bed to **be instantly tilted** into the Reverse Trendelenburg position, without manual manipulation or loss of time.

This device is particularly useful in cases of vagal discomfort, a drop in blood pressure, or a medical incident requiring **immediate response**. It allows cerebral perfusion to be restored quickly, **while keeping the hands free** to monitor or assist the patient.

Simple, robust, and intuitive, the Reverse Trendelenburg foot pedal meets the safety requirements of acute or prolonged care environments by enhancing the capacity of caregivers to **respond quickly**.



Variable height at the foot

Designed to meet the demands of **outpatient surgery**, the variable height foot pedal gives practitioners **complete freedom of movement**. Located at the rear of the bed, it allows for **precise** a n d **rapid adjustment** with the foot, **without interrupting the medical procedure** or requiring the use of the hands. This intelligent ergonomic design **frees the caregiver** from technical constraints and **optimizes their comfort during procedures**.

The result: smoother care, greater patient **safety**, and **increased efficiency** for the medical team.

CHARACTERISTICS

Pre-programmed functions



Nursing

The "Nursing" position can be accessed directly **with a single touch** thanks to the **pre-programmed** care buttons.

Intuitive and fast, this feature makes it easy to set up the ideal posture for daily care. It allows caregivers to work at the right height without having to bend over or perform multiple movements, thereby **reducing** fatigue and the risk of **musculoskeletal disorders.**

For the patient, it ensures **comfort** and **smooth care.**

A solution designed to optimize efficiency, ensure safe movements, and improve the well-being of everyone involved in care.



Patient Reception

The "Patient Reception" position is specially designed to **s e c u r e** and **facilitate transfers**. Recommended by occupational therapists: perfectly suited for receiving patients independently or with minimal assistance. This position, directly accessible **with a single touch** thanks to **pre-programmed buttons**, promotes patient confidence and comfort while simplifying the work of caregivers, who can assist with movements without excessive effort.

A solution that combines **safety**, **ergonomics**, and well-being, serving the daily needs of teams and patients.



Ultra Comfort (Zero Gravity)

With our **intuitive pre-programmed control** system, a single press of the remote control is all it takes to access the **"Ultra-comfort" position**, also known as **"zero gravity."**

This ergonomic position has been designed to distribute body pressure evenly across the entire mattress. The pelvis, legs, and back are positioned in such a way as to promote **muscle relaxation**, **relieve joint tension**, and **stimulate blood circulation**, while reducing areas of compression.

Cette fonction joue un rôle clé dans l'amélioration du confort perçu, la **prévention** des **douleurs posturales** et l'amélioration de la qualité de la prise en charge.



Emergency slope

The "Emergency Reverse Trendelenburg" position can be accessed **in a single step** using the **pre-programmed buttons.**

This function allows the patient to be quickly moved into the Reverse Trendelenburg position, which is essential in the event of discomfort or shock in order to **promote blood return** to the vital organs.

Designed to maximize **speed of action**, it ensures safe care while reducing the stress associated with critical situations.

Ergonomic and intuitive, this control provides caregivers with a **reliable** and **immediate tool**, ensuring efficiency, safety, and comfort during intervention.

Safety



Immediate responsiveness in critical situations

Because certain situations require a rapid and uncompromising response, our chair can be equipped with optional **emergency Reverse Trendelenburg pedals**. Placed within easy reach of the caregiver, this control allows the chair to be instantly tilted into **the Reverse Trendelenburg position**, **without manual manipulation** or loss of time.

This device is particularly useful in cases of vagal discomfort, a drop in blood pressure, or a medical incident requiring **immediate response**. It allows cerebral perfusion to be restored quickly, while keeping the hands free to monitor or assist the patient.

Simple, robust, and intuitive, the Reverse Trendelenburg pedal meets the **safety** requirements of acute or prolonged care environments by enhancing the **capacity** of caregivers **to respond quickly**.



Manual CPR

Designed to ensure safety and responsiveness in all circumstances, the **backrest release system** is equipped with **two handles** (on both sides) that are easily accessible under the lying surface. Intuitively positioned, they allow caregivers to instantly release the actuator to **lower the backrest** or return it to a completely flat position in **an emergency**. This ergonomic design reduces complex maneuvers and ensures **rapid intervention**, thereby limiting patient stress and facilitating the work of medical teams. Reliable, simple, and secure, this device is an essential asset for **enhancing the quality of care** and the peace of mind of caregivers.



Integrated backup battery: guaranteed service continuity

To ensure maximum safety and continuity of care, our chair is equipped with a high-performance **backup battery** that automatically takes over in the event of a power failure. This autonomy allows caregivers to **maintain** all the chair's **essential functions**—position adjustments, backrest, leg rest, variable height—without interruption, even in the event of a power outage.

This solution not only guarantees patient safety and comfort by preventing any unexpected blockages, but also offers **peace of mind** to healthcare teams by ensuring **smooth** and stress-free **management** of **emergency situations**. Thanks to this battery, care can continue without compromise, regardless of the environment or circumstances.

Lying surface



Infusion stand

Integrated directly **into the bed frame**, the IV pole provides **time saving** and **optimal stability** during IV treatment administration.

Discreet yet functional, it eliminates unnecessary movement and handling, **ensuring smooth** and **safe** patient **care.**

Compatible with all types of infusion pumps or IV bags, it remains accessible at all times, **ideal** for **long-term care**, chemotherapy, or chronic treatments.

Compact, it saves space while meeting hygiene and safety requirements.

Designed to combine staff **efficiency** and patient **comfort**, it optimizes the **organization of care** while ensuring ergonomic and safe working conditions.



Corner guards for added safety and durability

The corner guards on the outpatient care bed provide enhanced safety for the patient, equipment, and care environment.

Equipped with a **built-in shock absorber**, they effectively **absorb shocks** during movement, even in tight spaces.
Their wraparound shape **limits the impact** of **collisions** with walls, doors, or furniture, while **preserving the structure** of the bed.

The result: **better patient protection**, **durable equipment,** and lower repair costs.

Designed for intensive use, they **extend the quality** and **longevity** of hospital equipment.



Optimizing space, streamlining the patient journey, and calming the patient

Designed for surgery and outpatient care, the Outpatient Surgery Bed (LCA) **accompanies** the patient **from reception to the operating room** and then to the monitoring room, **without** unnecessary **transfers**.
Versatile and compact, it **reduces handling**, optimizes ergonomics, and **keeps the patient comfortably positioned** throughout their journey.
This continuity **reduces preoperative anxiety**, reinforces the feeling of safety, and promotes **better recovery.**
For teams, the ASCB **streamlines the process**, **saves time**, and simplifies logistics.
In the room, its compact size allows for three ASCBs to be installed in place of two standard beds, **optimizing space** without compromising on comfort or quality of care.

Lying surface



Make cleaning easier

Thanks to the **EasyClean®** solution, **cleaning the bed** is simple, quick, and effective. **Full access to the surfaces to be cleaned** without tools.

The result: a **complete wash** in a minimum of time, **impeccable hygiene**, and real time saving for nursing staff.



Stop-mattress handles and Comfort mattresses

The outpatient care bed has **stop-mattress handles** around the entire perimeter of the lying surface, ensuring **perfect mattress stability**, even during repeated movements.
This design **also makes transfers safer** by limiting the risk of the patient slipping or losing their balance.

The **memory foam** conforms to the contours of the body, **reduces pressure points**, and offers optimal comfort, even during long procedures or recovery phases.

Safety, **comfort,** and **peace of mind** are thus combined for both the patient and the healthcare team.

Technical specifications

AMB7-A06P54-S800

SURGERY STRETCHER BED AMB7 CLAVIA LCA - WIDTH 65 - CENTRALIZED BRAKING WITH 5TH CASTOR - MATTRESS - TECH SIDERAILS

PACK - EQUIPMENT

Side Rails	Plastic with 2-position assistance, high for safety and low for easy access
Mattress	Removable comfort mattress
Equipment	2 Push bars - Bumpers on 4 corners with holder for accessories

WEIGHT - ECO-PERFORMANCE

Weight	90 kg

DIMENSIONS

Length	Chair position: 156 / Lying position (standard headrest) : 202 / Lying position (ophtalmo headrest) : 221 cm cm
Width	78,5 cm
Length sleeping surface	202 cm
Width sleeping surface	65 cm
Variable height minimum	Sleeping surface without mattress: 47 cm
Variable height maximum	Sleeping surface without mattress: 85 cm
Ground Clearance	4 cm
Dimensions (cm)	Backrest 80 cm cm
Mattress thickness	10 cm
Side rails height	37 cm
Side rails length	94 cm
Side rails thickness	6 cm
Height of the push handle	Chair position: de 70 à 105 cm
Push bar length	40 cm
Push bar width	3 cm
Push bar diameter	3 cm

MATERIAL & COATING

Material Foam	Hight resilience foam
Foam HR density	35 kg/m3
Material Cover	Techmaflex fabric
Frame	Plastic protection cover / Steel epoxy structure
Variable height	Steel column
Material	Plastic side rails

TYPE

Type of mattress	Standard Comfort
Class Mattress	Class 0
Variable height type	Electric
Type of engine	PI-Type
Type of brake	Centralized brake system with 5th directional wheel

BASE

Type of footing	Castor - Double roller
Wheels diameter	150 mm

MOBILITY

Type of battery	Lithium-Ion 2,5A (50 cycles)
Charging time	about 10 heure
Consumption at rest	0,5 (120/230V)
Consumption in function	on maximum connected 12A - on maximum battery 15A
Consumption in charge	1A

INCLINATIONS

Backrest	0 to 78°
Legrest	0 to 54°
Reverse Trendelenburg	10°
Trendelenburg	15°

SAFETY CHARGE

Maximum patient weight	185 kg
SWL	250 kg

CONFIGURATION

Configuration	Electrical variable height / Electric backward tilt function / Electric backrest with emergency cpr / Electric legrest
Number of IV pole support	2 slots on the seat

REGULATION

Medical device class	Class I
CE marking	CE
European regulation (UE 2017/745)	Yes

FIRE CLASSIFICATION

Mattress cover	M1
Vegetable fibers	M1

ADDITIONAL INFORMATION

Comment	6 programmed positions: Welcome, Relax, Reverse Trend, Secured Trendelenburg position, CPR



OUR EXCLUSIVES

SOFT SOUND® · EASY MOV'® · SMART HEAD REST® · TECH+ SIDE RAILS®

HIGHLIGHTS

- Equipment
- Universal support
- Easy Clip
- Interchangeability
- Traceability

CE MD

Technical specifications

AMB7-A06P54-S801

SURGERY STRETCHER BED AMB7 CLAVIA LCA - WIDTH 65 - CENTRALIZED BRAKING WITH 5TH CASTOR - MATTRESS - WITHOUT HEADREST

PACK - EQUIPMENT

Side Rails	Plastic with 2-position assistance, high for safety and low for easy access
Mattress	Removable comfort mattress
Equipment	2 Push bars - Bumpers on 4 corners with holder for accessories

WEIGHT - ECO-PERFORMANCE

Weight	90 kg

DIMENSIONS

Length	Chair position: 156 / Lying position (standard headrest) : 202 / Lying position (ophtalmo headrest) : 221 cm cm
Width	78,5 cm
Length sleeping surface	202 cm
Width sleeping surface	65 cm
Variable height minimum	Sleeping surface without mattress: 47 cm
Variable height maximum	Sleeping surface without mattress: 85 cm
Ground Clearance	4 cm
Dimensions (cm)	Backrest 80 cm cm
Mattress thickness	10 cm
Side rails height	37 cm
Side rails length	94 cm
Side rails thickness	6 cm
Height of the push handle	Chair position: de 70 à 105 cm
Push bar length	40 cm
Push bar width	3 cm
Push bar diameter	3 cm

MATERIAL & COATING

Material Foam	Hight resilience foam
Foam HR density	35 kg/m3
Material Cover	Techmaflex fabric
Frame	Plastic protection cover / Steel epoxy structure
Variable height	Colonne métallique
Material	Plastic side rails

TYPE

Type of mattress	Standard Comfort
Class Mattress	Class 0
Variable height type	Electric
Type of engine	PI-Type
Type of brake	Centralized brake system with 5th directional wheel

BASE

Type of footing	Castor - Double roller
Wheels diameter	150 mm

MOBILITY

Type of battery	Lithium-Ion 2,5A (50 cycles)
Charging time	about 10 heure
Consumption at rest	0,5 (120/230V)
Consumption in function	on maximum connected 12A - on maximum battery 15A
Consumption in charge	1A

INCLINATIONS

Backrest	0 to 78°
Legrest	0 to 54°
Reverse Trendelenburg	10°
Trendelenburg	15°

SAFETY CHARGE

Maximum patient weight	185 kg
SWL	250 kg

CONFIGURATION

Configuration	Electrical variable height / Electric backward tilt function / Electric backrest with emergency cpr / Electric legrest / 2 section backrest with a removable head section to fasten a surgery head rest for ophthalmology, stomatology and ENT
Number of IV pole support	2 slots on the seat

REGULATION

Medical device class	Class I
CE marking	CE
European regulation (UE 2017/745)	Yes

FIRE CLASSIFICATION

Mattress cover	M1
Vegetable fibers	M1

ADDITIONAL INFORMATION

Comment	6 programmed positions: Welcome, Relax, Reverse Trend, Secured Trendelenburg position, CPR



OUR EXCLUSIVES

SOFT SOUND® · EASY MOV'® · SMART HEAD REST® · TECH+ SIDE RAILS®

HIGHLIGHTS

- Equipment
- Universal support
- Easy Clip
- Interchangeability
- Traceability

CE MD

Technical specifications

AMB7-A07P54-S800

SURGERY STRETCHER BED AMB7 CLAVIA LCA - WIDTH 75 - CENTRALIZED BRAKING WITH 5TH CASTOR - MATTRESS - TECH SIDERAILS

PACK - EQUIPMENT

Side Rails	Plastic with 2-position assistance, high for safety and low for easy access
Mattress	Removable comfort mattress
Equipment	2 Push bars - Bumpers on 4 corners with holder for accessories

WEIGHT - ECO-PERFORMANCE

Weight	92 kg

DIMENSIONS

Length	Chair position: 156 / Lying position (standard headrest) : 202 / Lying position (ophtalmo headrest) : 221 cm cm
Width	88,5 cm
Length sleeping surface	202 cm
Width sleeping surface	75 cm
Variable height minimum	Sleeping surface without mattress: 47 cm
Variable height maximum	Sleeping surface without mattress: 85 cm
Ground Clearance	4 cm
Dimensions (cm)	Backrest 80 cm cm
Mattress thickness	10 cm
Side rails height	37 cm
Side rails length	94 cm
Side rails thickness	6 cm
Height of the push handle	Chair position: de 70 à 105 cm
Push bar length	40 cm
Push bar width	3 cm
Push bar diameter	3 cm

MATERIAL & COATING

Material Foam	Hight resilience foam
Foam HR density	35 kg/m3
Material Cover	Techmaflex fabric
Frame	Plastic protection cover / Steel epoxy structure
Variable height	Steel column
Material	Plastic side rails

TYPE

Type of mattress	Standard Comfort
Class Mattress	Class 0
Variable height type	Electric
Type of engine	PI-Type
Type of brake	Centralized brake system with 5th directional wheel

BASE

Type of footing	Castor - Double roller
Wheels diameter	150 mm

MOBILITY

Type of battery	Lithium-Ion 2,5A (50 cycles)
Charging time	about 10 heure
Consumption at rest	0,5 (120/230V)
Consumption in function	on maximum connected 12A - on maximum battery 15A
Consumption in charge	1A

INCLINATIONS

Backrest	0 to 78°
Legrest	0 to 54°
Reverse Trendelenburg	10°
Trendelenburg	15°

SAFETY CHARGE

Maximum patient weight	185 kg
SWL	250 kg

CONFIGURATION

Configuration	Electrical variable height / Electric backward tilt function / Electric backrest with emergency cpr / Electric legrest
Number of IV pole support	2 slots on the seat

REGULATION

Medical device class	Class I
CE marking	CE
European regulation (UE 2017/745)	Yes

FIRE CLASSIFICATION

Mattress cover	M1
Vegetable fibers	M1

ADDITIONAL INFORMATION

Comment	6 programmed positions: Welcome, Relax, Reverse Trend, Secured Trendelenburg position, CPR



OUR EXCLUSIVES

SOFT SOUND® · EASY MOV'® · SMART HEAD REST® · TECH+ SIDE RAILS®

HIGHLIGHTS

- Equipment
- Universal support
- Easy Clip
- Interchangeability
- Traceability

CE MD

Technical specifications

AMB7-A07P54-S801

SURGERY STRETCHER BED AMB7 CLAVIA LCA - WIDTH 75 - CENTRALIZED BRAKING WITH 5TH CASTOR - MATTRESS - WITHOUT HEADREST

PACK - EQUIPMENT

Side Rails	Plastic with 2-position assistance, high for safety and low for easy access
Mattress	Removable comfort mattress
Equipment	2 Push bars - Bumpers on 4 corners with holder for accessories

WEIGHT - ECO-PERFORMANCE

Weight	92 kg

DIMENSIONS

Length	Chair position: 156 / Lying position (standard headrest) : 202 / Lying position (ophtalmo headrest) : 221 cm cm
Width	88,5 cm
Length sleeping surface	202 cm
Width sleeping surface	75 cm
Variable height minimum	Sleeping surface without mattress: 47 cm
Variable height maximum	Sleeping surface without mattress: 85 cm
Ground Clearance	4 cm
Dimensions (cm)	Backrest 80 cm cm
Mattress thickness	10 cm
Side rails height	37 cm
Side rails length	94 cm
Side rails thickness	6 cm
Height of the push handle	Chair position: de 70 à 105 cm
Push bar length	40 cm
Push bar width	3 cm
Push bar diameter	3 cm

MATERIAL & COATING

Material Foam	Hight resilience foam
Foam HR density	35 kg/m3
Material Cover	Techmaflex fabric
Frame	Plastic protection cover / Steel epoxy structure
Variable height	Steel column
Material	Plastic side rails

TYPE

Type of mattress	Standard Comfort
Class Mattress	Class 0
Variable height type	Electric
Type of engine	PI-Type
Type of brake	Centralized brake system with 5th directional wheel

BASE

Type of footing	Castor - Double roller
Wheels diameter	150 mm

MOBILITY

Type of battery	Lithium-Ion 2,5A (50 cycles)
Charging time	about 10 heure
Consumption at rest	0,5 (120/230V)
Consumption in function	on maximum connected 12A - on maximum battery 15A
Consumption in charge	1A

INCLINATIONS

Backrest	0 to 78°
Legrest	0 to 54°
Reverse Trendelenburg	10°
Trendelenburg	15°

SAFETY CHARGE

Maximum patient weight	185 kg
SWL	250 kg

CONFIGURATION

Configuration	Electrical variable height / Electric backward tilt function / Electric backrest with emergency cpr / Electric legrest / 2 section backrest with a removable head section to fasten a surgery head rest for ophthalmology, stomatology and ENT
Number of IV pole support	2 slots on the seat

REGULATION

Medical device class	Class I
CE marking	CE
European regulation (UE 2017/745)	Yes

FIRE CLASSIFICATION

Mattress cover	M1
Vegetable fibers	M1

ADDITIONAL INFORMATION

Comment	6 programmed positions: Welcome, Relax, Reverse Trend, Secured Trendelenburg position, CPR



OUR EXCLUSIVES

SOFT SOUND® · EASY MOV'® · SMART HEAD REST® · TECH+ SIDE RAILS®

HIGHLIGHTS

- Equipment
- Universal support
- Easy Clip
- Interchangeability
- Traceability

CE MD



OPTIONS & ACCESSORIES

Options

ELECTRICAL CONTROLS

OPTION - EQUIPOTENTIAL CONNECTION

OPAM-70002



ELECTRICAL CONTROLS

ANTI-STATIC SYSTEM

OPAM-70003



SECURITY

CABLE REEL

OPAM-70033



SECURITY

HOLDER FOR OPERATING FIELD WITH CONNECTION FOR OXYGEN

OPAM-90006



CONTAINER HOLDER

HOOKS TO HOLD BAGS

OPAM-70008



HANDLES

FOLDABLE PUSH BARS FOOT-END

OPAM-70009



COMFORT

SUPPORTS FOR MEAL SHELF

OPAM-70005



COMFORT

EMERGENCY FOOT SWITCH WITH EMERGENCY FOOT RELEASE ON BOTH SIDES

OPAM-70024



COMFORT

SET OF TECH PLUS SIDE RAILS WITH BUILT-IN CONTROLS - FOR AMB7 WIDTH 65

OPAM-70029



COMFORT

SET OF TECH PLUS SIDE RAILS WITH BUILT-IN CONTROLS - FOR AMB7 WIDTH 75

OPAM-70031



COMFORT

OPTION ARTICULATED REMOVABLE SURGERY HEAD REST FOR STOMATOLOGY + FLAT CUSHION

OPAM-90010



COMFORT

OPTION REMOVABLE SURGERY HEAD REST FOR STOMATOLOGY AND ENT

OPAM-90011



COMFORT

OPTION ARTICULATED REMOVABLE SURGERY HEAD REST FOR OPHTHALMOLOGY + HOLLOW CUSHION

OPAM-90012



COMFORT

OPTION REMOVABLE CRYSTAL PROTECTION FOR LEG REST

OPAM-90002



COMFORT

OPTION VARIABLE HEIGHT PEDAL WITH FOOT CONTROL

OPAM-70038



Accessories

SECURITY

HOLDER FOR OPERATING FIELD WITH CONNECTION FOR OXYGEN

ACAM-90006



IV POLE

REMOVABLE IV POLE, 2-STAGE, 2 HOOKS

ACAM-90007



IV POLE

REMOVABLE IV POLE, 2-STAGE, 4 HOOKS

ACAM-90008



IV POLE

OPTION - REMOVABLE IV POLE, 2-STAGE, 2 HOOKS

OPAM-90007



IV POLE

OPTION REMOVABLE IV POLE, 2-STAGE, 4 HOOKS

OPAM-90008



COMFORT

REMOVABLE CRYSTAL PROTECTION FOR LEG REST

ACAM-90002



COMFORT

ADDITIONAL HOLLOW CUSHION FOR ARTICULATED REMOVABLE SURGERY HEADREST

ACAM-90004



COMFORT

ADDITIONAL FLAT CUSHION FOR ARTICULATED REMOVABLE SURGERY HEADREST

ACAM-90005



COMFORT

ARTICULATED REMOVABLE SURGERY HEAD REST FOR STOMATOLOGY + FLAT CUSHION

ACAM-90010



COMFORT

REMOVABLE SURGERY HEAD REST FOR STOMATOLOGY AND ENT

ACAM-90011



COMFORT

ARTICULATED REMOVABLE SURGERY HEAD REST FOR OPHTHALMOLOGY + HOLLOW CUSHION

ACAM-90012



SURFACE

MEAL SHELF 60x40 CM (OPAM-70005 COMPULSORY)

ACAM-90009



SURFACE

OPTION MEAL SHELF 60x40 CM

OPAM-90009



Preventive maintenance tailored to your needs

The maintenance of medical devices is not only a **technical obligation**, but also a **legal** and regulatory responsibility of the organisation.

It is based on:

- A clear policy
- Traceability procedures
- The use of compliant parts
- And staff training



The advantages of preventive maintenance

THE BENEFITS OF REGULAR MAINTENANCE OF YOUR EQUIPMENT

- Improved performance: maximum fleet availability.
- Improved quality: a reliable and continuous service.
- Lower costs: reduced repair costs.
- Fewer breakdowns: continuity guaranteed.

EXTEND THE LIFESPAN OF YOUR EQUIPMENT & ENSURE SAFETY

Our maintenance programmes are designed to:
- Ensure your equipment performs to its full potential.
- Provide regular checks and reliable diagnostics.
- Safeguard the safety of patients, residents and carers.
- Maintain your organisation’s regulatory compliance.

A BUDGET UNDER CONTROL

Our maintenance solutions help you to:
- Plan your expenditure.
- Avoid unexpected costs.
- Optimise your investments with complete transparency.

CERTIFIED COMPONENTS FOR SUSTAINABLE VIABILITY

All our services are carried out using original parts that have been tested and approved, guaranteeing:
- Maximum safety when using your equipment.
- Strict compliance with regulatory standards.
- The durability and reliability of your beds, mattresses and accessories.

Our preventive maintenance services



A SINGLE POINT OF CONTACT FOR A COMPREHENSIVE SOLUTION

From pre-sales to after-sales, we support you every step of the way.

Through a **detailed analysis** of your needs, we provide **tailored technical support**, based on a **long-term** and **effective** partnership.

EXPERTS AT YOUR SIDE

Our technicians and engineers, who receive regular training in the latest innovations, guarantee you:
- A responsive, high-quality service.
- Professional installation of your equipment.
- Comprehensive training for your teams, delivered directly on-site.

OUR TECHNICIANS CARRY OUT A FULL INSPECTION

- Mechanical inspection: assembly, joints, brakes, locking mechanisms.
- Electrical inspection: components, controls, sensors.
- Safety features: barriers, locking systems, protective devices.
- Lubrication: re-greasing of all pivot points.
- Electrical tests: carried out in accordance with current standards.

Each operation (inspection, adjustment, replacement) is recorded in the technician’s maintenance report.

RENOVATION OF THE PARK

Following the visit, our preventive maintenance team will email you the **maintenance report** completed for each piece of equipment.
The **service reports** are sent to your HAcare contact, who will draw up the necessary quotes for repairs or replacements.

This provides you with **comprehensive** and **transparent** tracking of the **maintenance** of your equipment fleet.

The result: a clear and traceable process that guarantees the safety, compliance and availability of your equipment. Translated with DeepL.com (free version)

BMB MEDICAL

ZAC de Fourquevaux, 100 avenue du Formans
01600 - TRÉVOUX, FRANCE

Tél +33 (0)4 74 08 71 71
export@hacare.com

Sales in the French Overseas Departments and Communities (DROM-COM)
f.milloux@hacare.com
06 25 83 86 00

International Export Department
export@hacare.com
+33 (0)4 74 08 71 71

Sales assistant
export@hacare.com
+33 (0)4 74 08 71 71

HAcare

MEDICAL

1860

MKT-26-PO-HOP-AMB-CA-FCA-AM-LCA-EN
2026