# HOSPITAL




## OPEN STORAGE CABINETS OPEN CABINET - MM3 (STOCK'ALLI)

P20®

**Care and service equipment** - Technical platform

greenly 2024 Or Climate Strategy Rating TOP 5%

MKT-26-PO-HOP-SES-PT-ASO-SARM-EN 21/11/2026

# Summary


**HAcare, specialist in medical devices since 1860.** ..... 3

**HAcare Group's eco-responsible commitments** ..... 4

**Choose the circular economy** ..... 5

**Recyclable materials** ..... 6

**Certifications** ..... 7

**Open storage cabinets Hospital Technical platform** ..... 8

**Our exclusives**

P20 ..... 10

**Highlights**

Optimizing storage (P20) ..... 12

Designing and optimizing your spaces (Optimizing space) ..... 13

**Characteristics**

Mobility ..... 15

Configurable ..... 16

COMPOSANTS : Bac à lèvres ..... 19 - 20

COMPOSANTS: Étagères ..... 21 - 22


**Technical specifications** ..... 26

**portfolio.options & composants** ..... 67

**Preventive maintenance tailored to your needs** ..... 77


**The advantages of preventive maintenance** ..... 78

**Our preventive maintenance services** ..... 79

# HAcare, specialist in medical devices since 1860.

At HAcare, we design, manufacture and distribute medical devices and innovative, durable medical furniture solutions designed to improve the daily lives of patients and healthcare professionals alike.











# The HAcare Group's eco-responsible commitments

The HAcare group commits to an **eco-responsible industrial orientation**

In its sustainable development strategy, the HAcare group has defined a list of **6 commitments** that guide its **actions and decisions** since the group's creation and for the years to come.

Indicators have been set up for each commitment.

## Our 6 commitments

- Made in France production
- The use of renewable resources
- Integrating the circular economy into all new product developments
- Responsible purchasing (supplier quality monitoring)
- Daily actions to respect and protect the environment
- Combating RSI and noise pollution through our products

# Choose the circular economy




HAcare finished products can be recycled through a recovery circuit at the end customer's premises, for recycling with our partner supplier. As wood cannot be recycled ad infinitum because its fibers become too small or exhausted, wood waste is recovered and transformed into green energy.




The plant fiber boards used in the manufacture of HAcare products are 100% reclaimed wood. Each HAcare finished product bears an index revealing the proportion of plant fiber contained.




Recycling is the practice of recovering used materials from the waste stream, then incorporating these same materials into the manufacturing process. Each HAcare finished product carries an index revealing the proportion of recycled material it contains.



# Recyclable materials

HAcare finished products are 95% recyclable. For example, the HAcare medical bed is entirely recyclable, except for the wheels and motors. Each bed can be dismantled to recover each material separately: plant fiber, metal, plastic.

PLANT FIBER



## Recycled wood


The plant fiber boards used in the manufacture of HAcare Group products are:

**100% reused wood**

Reuse is one of the environmentally friendly processes. It involves, for example, leftovers from wood-processing companies (e.g. sawmill scraps, production offcuts...). But also by-products from activities such as sustainable forest management and slope maintenance.

**100% FSC-certified wood**

Recyclable with a partner supplier who, on a worldwide exclusive basis and since 2021, recycles MDF and HDF panels.No water consumption, nor green energy **biomass**.



## The metal

All metal components are **recyclable** and reusable, **infinitely**. Once the metal has been sorted, it is compressed, crushed, rolled and melted. It is then remolded into coils, bars or wire for reuse. This process can be endless!

Metal recycling has **many advantages**. It conserves natural resources by reducing the need for virgin materials, cuts energy consumption and reduces **greenhouse gas emissions**.



## Recycled plastic

At recycling plants, waste (re) becomes a **raw material** through various processes: grinding, micronization, regeneration of plastics.

The recycled plastic will then be resold to **plasturgy** manufacturers in the form of **flakes**, powder or even **granules**.

# Certifications




MANAGEMENT AND CUSTOMER SATISFACTION
ISO 9001

MEDICAL DEVICE
ISO 13485

GOLD | Top 5%
ecovadis
Sustainability Rating
MAY 2026

greenly
2024
Or
Climate Strategy Rating
TOP 5%

# OPEN STORAGE CABINETS HOSPITAL

## Technical platform

Open cabinet - MM3 (STOCK'ALLI)





# OUR EXCLUSIVES

OUR EXCLUSIVES

# P20

*In hospital environments, optimizing floor space is a major challenge. Teams have to manage a large volume of medical devices in often restricted premises, while maintaining a fluid, intuitive organization that complies with hygiene requirements. Storage solutions must therefore be compact, modular and allow rapid access to the products needed during care.*

## Optimize storage with the P20 concept

This mobile storage cabinet guarantees filling without loss of storage space thanks to the concept P20. Furthermore, the 400 Facade allows you to optimize your layout in reduced spaces.





# HIGHLIGHTS

# Optimizing storage (P20)












HACARE medical furniture adapts to every use thanks to a wide choiceof modularcomponents. It optimizes storage by verticalization with the P20 concept, offering large capacity for storage. Depending on your organization, the cabinets prioritize either component capacity, or component quantity. They ensure a practical, scalable and performing storage space on a daily basis, meeting the needs of care teams.

# Designing and optimizing your spaces (Optimizing space)



The 400 or 600 Facades, offered in single or . versions;double, offer modularity ideal for optimizing your storage spaces.They enable you to acurate your layout according to the configuration of each department, even in constrained environments. Thanks to this flexibility, you effectively structure your storage areas, gain accessibility and improve circulation on a daily basis. A solution designed to adjust to all uses.



# CHARACTERISTICS

CHARACTERISTICS

# Mobility



## 125 mm castors for easy transfers

The storage cabinet adapts to every environment thanks to the choice of 125 mm, swivel castors, allowing optimization and comfort when moving. The two front brakes, easily accessible by foot, ensure perfect stability when moving, reinforcing the security of the furniture and caregivers' confidence in their movements.



## 4 adjustable feet for fixed storage

Dedicated to storage, in storerooms, arsenals and PUIs, this fixed cabinet forstorage guarantees refilling without loss of storage space thanks to its 20 pitch. The 400 Facade allows you to optimize your layout in reduced spaces.Structure with steel U-profile Volcanic black epoxy lacquer4 adjustable feet


CHARACTERISTICS

# Configurable



## Modularity for high storage capacity

HACARE modulable furniture enables verticalization of storage and optimization of every square meter, even in constrained spaces. Thanks to the P20 system, teams mix freely trays BJMM/BJGM, three heights of drawers and three heights of lips trays. A flexible, compactorganization.The cladding (optional) allows enclosure of the structure.



## Selecting components for customized storage

Configure your medical furniture according to your needs thanks to a wide choice of modular components. Create a tailor-made solution, perfectly adapted to your daily uses. Each element is designed to optimize your organization, your work comfort and the efficiency of your care, while guaranteeing optimal ergonomics. Complete customization for a upgradeable furniture durable and perfectly matched to your department's requirements.




## Select "type" configurations

Thanks to our expertise in medical furniture, we design for you "type"configurations thought out for each use. Rigorous selection of components, optimized layout, ergonomics and user comfort: everything is studied to meet the specific needs of each department. Our team will work with you to define the configuration best suited to your practices, combining functionality, durability and day-to-day efficiency.





The joined drawers protect the contents of the drawers from prying eyes, light and UVs, preserving the quality and confidentiality of the products stored. Thanks to the central locking system, opening and closing is a one-touch operation, simplifying staff work while enhancing security.The removable drawers can be autoclave-cleaned, the radiated angles make cleaning easier.A practical, reliable solution for combining protection, efficiency and peace of mind on a daily basis.





## Ergonomic drawers

Medical furniture can be adapted to every care organization thanks to its customizable configurations. Choose from 3 drawer heights and compose freely the interior layout to suit your needs.





## Separation bins

Medical furniture adapts to every care organization thanks to its customizable configurations. Choose from 3 drawer heights and freely compose the interior layout to suit your needs with the separator bins. A flexible and evolutive design that allows you to optimize space, improve ergonomics and make every care station more functional on a daily basis.




## Separators


Freely compose the interior layout to suit your needs with divider bins and separators, separator combs, subdivision boxes that isolate each care element for greater safety. A flexible and evolutive design that allows optimizing space, improving ergonomics and making each care station more functional on a daily basis.



## Label holders and labels

Label holders on medical furniture drawers facilitate rapid and acurate identification of contents, reducing errors and optimizing care organization. They enable clear identification of drugs, medical devices or supplies, improving productivity and workflow for teams. Adaptable and modular, they contribute to a structured and secure care environment, while simplifying the day-to-day management of materials and reinforcing the efficiency and safety of interventions.


# COMPOSANTS : Bac à lèvres



The lip tray, a universal and standardized storage method, features a rear groove for suspension, and thus creates an isolated zone limiting liquid contamination. Transparent for quick spotting of contents, it can be openworked for added lightness. It adapts to all structures and is easily cleaned, offering a practical, hygienic and functional solution for healthcare organization and safety. Available in 3 heights to optimize storage.


CHARACTERISTICS

# COMPOSANTS : Bac à lèvres





## Choosing a lip tray

The full or perforated, transparent lip trays offer a secure and hygienic storage solution for medical furniture. their closed design limits the risk of liquid contamination while allowing quick viewing of contents. Easy to clean, they ensure durability and practicality for everyday use. Adaptable to all structures, it optimizes the organization of instruments and consumables, while facilitating the work of care teams. Lightweight and robust, it combines safety, ergonomics and efficiency. Available in 3 heights to optimize storage.




## Lips tray combs


Freely compose the interior layout of the lip tray according to your needs thanks to separation combs that isolate each care element for greater safety. A flexible and scalable design that optimizes space.Many models to create your own organization.



## Label holders and labels

Label holders on medical furniture drawers facilitate rapid and acurate identification of contents, reducing errors and optimizing care organization. They enable clear identification of drugs, medical devices or supplies, improving productivity and workflow for teams. Adaptable and modular, they contribute to a structured and secure care environment, while simplifying the day-to-day management of materials and reinforcing the efficiency and safety of interventions.


# COMPOSANTS: Étagères



The modular shelf offers practical and accessible rangeement for medical furniture. Designed to optimize the organization of instruments and consumables, it facilitates the daily work of healthcare teams. Robust and stable, it supports a variety of equipment while remaining easy to clean, guaranteeing hygiene and durability. Adaptable to different configurations, it enables efficientstructuring of the care space, offering quick access to essential equipment and contributing to a fluid, safe and ergonomic working environment.


CHARACTERISTICS

# COMPOSANTS: Étagères





## Separation bins

Medical furniture adapts to every care organization thanks to its customizable configurations. Choose from 3 drawer heights and freely compose the interior layout to suit your needs with the separator bins. A flexible and evolutive design that allows you to optimize space, improve ergonomics and make every care station more functional on a daily basis.





## Separators

Freely compose the interior layout to suit your needs with divider bins and separators, separator combs, subdivision boxes that isolate each care element for greater safety. A flexible and evolutive design that allows optimizing space, improving ergonomics and making each care station more functional on a daily basis.



## Label holders and labels

Label holders on medical furniture drawers facilitate rapid and acurate identification of contents, reducing errors and optimizing care organization. They enable clear identification of drugs, medical devices or supplies, improving productivity and workflow for teams. Adaptable and modular, they contribute to a structured and secure care environment, while simplifying the day-to-day management of materials and reinforcing the efficiency and safety of interventions.






The 7 pill dispenser trays BJMM or BJGM enable clear, organized nominative dispensing for each patient. Functional and modular, they can be complemented by one or more drawers intended for "if needed" treatment or forstoring small medical equipment (blood pressure meter, gloves, consumables...). A practical solution for optimizing the preparation and distribution of treatments on a daily basis.



## Label holders and labels

Label holders on medical furniture drawers facilitate rapid and acurate identification of contents, reducing errors and optimizing care organization. They enable clear identification of drugs, medical devices or supplies, improving productivity and workflow for teams. Adaptable and modular, they contribute to a structured and secure care environment, while simplifying the day-to-day management of materials and reinforcing the efficiency and safety of interventions.



## COMPONENTS: Cassette

The secure cassette offers a fixed and inviolable storage space, ideal for sensitive products. Its locking system, possible at any height, guarantees reinforced protection and controlled access in all circumstances. Designed to accommodate hazardous or toxic contents, it enhances the safety of staff and patients, while ensuring reliable organization in line with hospital requirements.

# Technical specifications

## PP-RY1600RV3

### STORAGE CABINET F600 - CONSUMABLES/CONSUMABLES



### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 20 kg |
| Total Weight - Pack | 44 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 70 cm |
| Depth | 46 cm |
| Front | F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Wheels | Thermoplastic rubber, grey non-marking |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### COLORS

| | |
|---|---|
| Box | Volcanic Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Mixed springers: Drawer height 75 mm | 21 |
| Mixed springers: ABS tray height 50 mm | 28 |
| Mixed springers: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |

### COMPOSITION

2 solid ABS lowket tray height 50 (6 lowket tray separators (shorts) and 4 lowket tray separators (longs)) - 6 meshed ABS lowket tray height 100 (12 lowket tray separators (shorts) and 6 lowket tray separators (longs)) - 2 meshed ABS lowket tray height 200 (2 lowket tray separators (shorts) and 2 lowket tray separators (longs))

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-RY2600RV3

### DOUBLE STORAGE CABINET F600 - CONSUMABLES/CONSUMABLES



### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 44 kg |
| Total Weight - Pack | 92 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 133,9 cm |
| Depth | 46 cm |
| Front | 2F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Top cover |
| Wheels | Thermoplastic rubber, grey non-marking |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 3 braked at the front |
| Wheels diameter | 125 mm |

### COLORS

| | |
|---|---|
| Box | Volcanic Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Mixed springers: Drawer height 75 mm | 42 |
| Mixed springers: ABS tray height 50 mm | 56 |
| Mixed springers: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |

### COMPOSITION

4 solid ABS lowket tray height 50 (12 lowket tray separator (shorts) and 8 lowket tray separator (longs)) - 12 meshed ABS lowket tray height 100 (24 lowket tray separator (shorts) and 12 lowket tray separator (longs)) - 4 meshed ABS lowket tray height 200 (4 lowket tray separator (shorts) and 4 lowket tray separator (longs))

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S10021-V1

**STORAGE CABINET - STOCKALLI M3 - F1200 - WITH SIDE - EQUIPPED V1**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 52 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 133,9 cm |
| Depth | 45,4 cm |
| Front | F1200 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Quartz |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 4 steel shelves F1200



## OUR EXCLUSIVES

P20®


## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S40021-RV1

**STORAGE CABINET - STOCKALLI M3 - F400 21G - WITH ABS LOWKET TRAY - EQUIPPED RV1**



**21G**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 22 kg |
| Total Weight - Pack | 40,8 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 47,2 cm |
| Depth | 64,3 cm |
| Front | F400 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Top | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Colors to choose from in our selection |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 1 solid lowket tray height 50 (inclined)
- 5 soldi lowket tray height 100
- 3 meshed lowket tray height 200

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S40021-RV2

**CONSUMABLES STORAGE CABINET - STOCKALLI M3 - F400 21G - 30/60 SPECIALITIES - EQUIPPED RV2**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 22 kg |
| Total Weight - Pack | 39,7 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 47,2 cm |
| Depth | 64,3 cm |
| Front | F400 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Top | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Colors to choose from in our selection |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 2 soldi lowket tray height 50 (inclined)
- 6 meshed lowket tray height 100
- 2 meshed lowket tray height 200



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S40021-RV3

**CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - EQUIPPED RV3**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 22 kg |
| Total Weight - Pack | 36,4 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 47,2 cm |
| Depth | 64,3 cm |
| Front | F400 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Top | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Colors to choose from in our selection |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |

### COMPOSITION

- 7 white shelfs (vegetable fibers) with splashback 30 mm



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S40021-V1

**STORAGE CABINET - STOCKALLI M3 - F400 21G - WITH ABS LOWKET TRAY - EQUIPPED V1**



**21G**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 26,8 kg |
| Total Weight - Pack | 44,4 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 47,2 cm |
| Depth | 64,3 cm |
| Front | F400 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Sides in vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Colors to choose from in our selection |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 2 solid lowket tray height 50 (inclined)
- 5 solid lowket tray height 100
- 2 meshed lowket tray height 200

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S42021-RV1

**CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - WITH ABS LOWKET TRAY - EQUIPPED RV1**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 41,4 kg |
| Total Weight - Pack | 79,5 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 94,5 cm |
| Depth | 64,3 cm |
| Front | 2F400 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Top | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Colors to choose from in our selection |

### CAPACITY


| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Typ of springers | Sliders |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 2 solid lowket tray height 50 (inclined)
- 10 solid lowket tray height 100
- 6 meshed lowket tray height 200



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S42021-RV2

**CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - 30/60 SPECIALITIES - EQUIPPED RV2**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 41,4 kg |
| Total Weight - Pack | 76,1 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 94,5 cm |
| Depth | 64,3 cm |
| Front | 2F400 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Top | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Colors to choose from in our selection |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Typ of springers | Sliders |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 4 solid lowket tray height 50 (inclined)
- 12 meshed lowket tray height 100
- 4 meshed lowket tray height 200



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S42021-RV3

**CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - EQUIPPED RV3**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 41,4 kg |
| Total Weight - Pack | 70,6 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 94,5 cm |
| Depth | 64,3 cm |
| Front | 2F400 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Top | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Colors to choose from in our selection |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Typ of springers | Sliders |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 14 white shelfs (vegetable fibers) with splashback 30 mm



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S60021-RV1

**STORAGE CABINET - STOCKALLI M3 - F600 21G - EQUIPPED RV1**



**21G**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 22 kg |
| Total Weight - Pack | 41,1 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 70 cm |
| Depth | 46 cm |
| Front | F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Top | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 21 |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 1 solid lowket tray height 50 (inclined)
- 5 meshed lowket tray height 100
- 3 meshed lowket tray height 200

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S60021-RV2

**CONSUMABLES STORAGE CABINET - STOCKALLI M3 - F600 21G - 28 SPECIALITIES - EQUIPPED RV2**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 22 kg |
| Total Weight - Pack | 33,2 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 70 cm |
| Depth | 46 cm |
| Front | F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Top | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 21 |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 3 solid lowket tray height 50 (inclined)
- 4 meshed lowket tray height 100



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S60021-RV3

**CONSUMABLES STORAGE CABINET - STOCKALLI M3 - F600 21G - 30/60 SPECIALITIES - EQUIPPED RV3**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 22 kg |
| Total Weight - Pack | 39,7 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 70 cm |
| Depth | 46 cm |
| Front | F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Top | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 21 |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 2 solid lowket tray height 50
- 6 meshed lowket tray height 100
- 2 meshed lowket tray height 200



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S60021-TV1

**CONSUMABLES STORAGE CABINET - STOCKALLI M3 - F600 21G - 10/20 SPECIALITIES - EQUIPPED TV1**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 35,4 kg |
| Total Weight - Pack | 52,5 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 69,9 cm |
| Depth | 45,4 cm |
| Front | F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Quartz |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 21 |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 4 meshed lowket tray height 100
- 4 drawers height 155



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S60021-TV2

**CONSUMABLES STORAGE CABINET - STOCKALLI M3 - F600 21G - 10/20 SPECIALITIES - EQUIPPED TV2**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 35,4 kg |
| Total Weight - Pack | 48,6 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 69,9 cm |
| Depth | 45,4 cm |
| Front | F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Quartz |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 21 |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 3 solid lowket tray height 50
- 1 meshed lowket tray height 100
- 3 drawers height 155



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S60021-V1

**STORAGE CABINET - STOCKALLI M3 - F600 21G - EQUIPPED V1**



**21G**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 20 kg |
| Total Weight - Pack | 37,8 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 70 cm |
| Depth | 46 cm |
| Front | F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 21 |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |

### COMPOSITION

- 1 solid lowket tray height 50 (inclined)
- 5 lowket tray height 100
- 3 lowket tray height 200

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S60021-V2

**STORAGE CABINET - STOCKALLI M3 - F600 21G - WITH ABS LOWKET TRAY - EQUIPPED V2**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 24,8 kg |
| Total Weight - Pack | 42,4 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 69,9 cm |
| Depth | 45,4 cm |
| Front | F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Sides in vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Quartz |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 21 |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 2 solid lowket tray height 50
- 5 solid lowket tray height 100
- 2 meshed lowket tray height 200



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S62021-RV1

**DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - WITH ABS LOWKET TRAY - EQUIPPED RV1**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 41,5 kg |
| Total Weight - Pack | 76,6 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 133,9 cm |
| Depth | 46 cm |
| Front | 2F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Top | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 42 |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 2 solid lowket tray height 50 (inclined)
- 10 meshed lowket tray height 100
- 6 meshed lowket tray height 200



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S62021-RV2

**CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - 56 SPECIALITIES - EQUIPPED RV2**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 41,5 kg |
| Total Weight - Pack | 62,2 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 133,9 cm |
| Depth | 46 cm |
| Front | 2F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 42 |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 6 solid lowket tray height 50 (inclined)
- 8 meshed lowket tray height 100



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S62021-RV3

**CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - 60/120 SPECIALITIES - EQUIPPED RV3**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 41,5 kg |
| Total Weight - Pack | 77,3 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 133,9 cm |
| Depth | 46 cm |
| Front | 2F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Top | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 42 |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 4 solid lowket tray height 50
- 12 meshed lowket tray height 100
- 4 meshed lowket tray height 200



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S62021-TV1

**CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - 20/40 SPECIALITIES - EQUIPPED TV1**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 63,6 kg |
| Total Weight - Pack | 97,7 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 133,9 cm |
| Depth | 45,4 cm |
| Front | 2F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Quartz |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 42 |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 8 meshed lowket tray height 100
- 8 drawers height 155



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S62021-TV2

**CONSUMABLES DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - 20/40 SPECIALITIES - EQUIPPED TV2**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 63,6 kg |
| Total Weight - Pack | 90 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 133,9 cm |
| Depth | 45,4 cm |
| Front | 2F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Quartz |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 42 |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 6 solid lowket tray height 50
- 2 meshed lowket tray height 100
- 6 drawers height 155



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## PP-S62021-V1

**DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - WITH ABS LOWKET TRAY - EQUIPPED V1**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 42,8 kg |
| Total Weight - Pack | 77,9 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 133,9 cm |
| Depth | 45,4 cm |
| Front | 2F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Quartz |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 42 |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

### COMPOSITION

- 4 solid lowket tray height 50
- 10 solid lowket tray height 100
- 4 meshed lowket tray height 200



**21 G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-RY1400R

**STOCK'ALLI CABINET F400 - VOLCANIC BLACK - WITHOUT SLIDE**



**21 G**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 20 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 47,2 cm |
| Depth | 64,3 cm |
| Front | F400 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Wheels | Thermoplastic rubber, grey non-marking |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### COLORS

| | |
|---|---|
| Box | Volcanic Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-RY1600R

**STOCK'ALLI CABINET F600 - VOLCANIC BLACK - WITHOUT RUNNER**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 20 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 70 cm |
| Depth | 46 cm |
| Front | F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Wheels | Thermoplastic rubber, grey non-marking |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### COLORS

| | |
|---|---|
| Box | Volcanic Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 21 |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |



## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-RY2400R

**DOUBLE STOCK'ALLI CABINET F400 - VOLCANIC BLACK - WITHOUT RUNNER**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 38 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 94,5 cm |
| Depth | 64,3 cm |
| Front | 2F400 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake |

### MATERIAL & COATING

| | |
|---|---|
| Wheels | Thermoplastic rubber, grey non-marking |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 3 braked at the front |
| Wheels diameter | 125 mm |

### COLORS

| | |
|---|---|
| Box | Volcanic Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Typ of springers | Sliders |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |



### OUR EXCLUSIVES

P20®

### HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-RY2600R

**DOUBLE STOCK'ALLI CABINET F600 - VOLCANIC BLACK - WITHOUT RUNNER**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 38 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 133,9 cm |
| Depth | 46 cm |
| Front | 2F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Wheels | Thermoplastic rubber, grey non-marking |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 3 braked at the front |
| Wheels diameter | 125 mm |

### COLORS

| | |
|---|---|
| Box | Volcanic Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 42 |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |



## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-S10021

### STORAGE CABINET - STOCKALLI M3 - F1200 - WITH SIDE



### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 64 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 133,9 cm |
| Depth | 45,4 cm |
| Front | F1200 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Sides in vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Quartz |

### FIRE CLASSIFICATION

| | |
|---|---|
| Vegetable fibers | D-s2d0 |

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-S10021-MIXTE

**MIXED STORAGE CABINET - STOCKALLI M3 - F1200 - WITH SIDE**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 49,5 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 133,9 cm |
| Depth | 45,4 cm |
| Front | F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Sides in vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Quartz |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 9G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 18 |
| Sliders: ABS tray height 50 mm | 24 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 24 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |



## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-S40021

**STORAGE CABINET - STOCKALLI M3 - F400 21G - TO BE EQUIPPED**



**21G**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 20 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 47,2 cm |
| Depth | 64,3 cm |
| Front | F400 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Colors to choose from in our selection |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-S40021-V1

**STORAGE CABINET - STOCKALLI M3 - F400 21G - WITH SIDE - TO BE EQUIPPED**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 26,8 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 47,2 cm |
| Depth | 64,3 cm |
| Front | F400 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Sides in vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Colors to choose from in our selection |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-S40021-V2

**STORAGE CABINET - STOCKALLI M3 - F400 21G - WITH FACING - TO BE EQUIPPED**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 35,1 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 47,2 cm |
| Depth | 64,3 cm |
| Front | F400 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Quartz |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-S42021

**DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - TO BE EQUIPPED**



**21G**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 38 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 94,5 cm |
| Depth | 64,3 cm |
| Front | 2F400 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Typ of springers | Sliders |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-S42021-V1

**DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - WITH SIDE - TO BE EQUIPPED**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 44,8 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 94,5 cm |
| Depth | 64,3 cm |
| Front | 2F400 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Quartz |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-S42021-V2

**DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF400 21G - WITH FACING - TO BE EQUIPPED**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 61,2 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 94,5 cm |
| Depth | 64,3 cm |
| Front | 2F400 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Quartz |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-S60021

**STORAGE CABINET - STOCKALLI M3 - F600 21G - TO BE EQUIPPED**



**21G**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 20 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 70 cm |
| Depth | 46 cm |
| Front | F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 21 |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-S60021-V1

**STORAGE CABINET - STOCKALLI M3 - F600 21G - WITH SIDE - TO BE EQUIPPED**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 24,8 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 69,9 cm |
| Depth | 45,4 cm |
| Front | F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Sides in vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 21 |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-S60021-V2

**STORAGE CABINET - STOCKALLI M3 - F600 21G - WITH FACING - TO BE EQUIPPED**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 35,4 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 69,9 cm |
| Depth | 45,4 cm |
| Front | F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 4 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 140 kg |

### COLORS

| | |
|---|---|
| Box | Quartz |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 21 |
| Sliders: ABS tray height 50 mm | 28 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 29 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |

**21G**



## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-S62021

**DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - TO BE EQUIPPED**



**21G**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 38 kg |

### DIMENSIONS

| | |
|---|---|
| Width | 133,9 cm |
| Depth | 46 cm |
| Front | 2F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 42 |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-S62021-V1

**DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - WITH SIDE - TO BE EQUIPPED**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 42,8 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 133,9 cm |
| Depth | 45,4 cm |
| Front | 2F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Sides in vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Black |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 42 |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space

# Technical specifications

## MO-S62021-V2

**DOUBLE STORAGE CABINET - STOCKALLI M3 - 2XF600 21G - WITH FACING - TO BE EQUIPPED**

### WEIGHT - ECO-PERFORMANCE

| | |
|---|---|
| Weight bare structure | 63,6 kg |
| Plant-based pourcentage (on total weight) | 65% |
| Percentage of recycled material | 15% |

### DIMENSIONS

| | |
|---|---|
| Width | 133,9 cm |
| Depth | 45,4 cm |
| Front | 2F600 |
| Height | 197,4 cm |

### TYPE

| | |
|---|---|
| Type of brake | Individual brake on the front castors |

### MATERIAL & COATING

| | |
|---|---|
| Frame | Welded steel - Volcanic Black Epoxy |
| Box | Vegetable fibers |
| Wheels | Thermoplastic rubber, grey non-marking |
| Internal runner walls / Slides | PA6 with glass fibers |

### BASE

| | |
|---|---|
| Type of footing | 6 swivel wheels with 2 braked at the front |
| Wheels diameter | 125 mm |

### TYPE OF ATTACHMENT

| | |
|---|---|
| Internal runner walls / Slides | Removable slide without tools |

### SAFETY CHARGE

| | |
|---|---|
| Maximum admissible load | 280 kg |

### COLORS

| | |
|---|---|
| Box | Quartz |

### CAPACITY

| | |
|---|---|
| Slides number (G height) | 2 x 21G |
| Typ of springers | Sliders |
| Sliders: Drawer height 75 mm | 42 |
| Sliders: ABS tray height 50 mm | 56 |
| Sliders: Shelf for Daily pillboxes medium model height 50 mm | 58 |

### FIRE CLASSIFICATION

| | |
|---|---|
| Plastic | M2 |
| Vegetable fibers | D-s2d0 |



**21G**

## OUR EXCLUSIVES

P20®

## HIGHLIGHTS

- P20
- Optimizing space



# PORTFOLIO.OPTIONS & COMPOSANTS

# Options

WHEEL OPTIONS

**CASTOR DIAMETER 125 MM - SINGLE CATOR - ANTISTATIC**

OP-M2110600



LANDSCAPING

**ADJUSTABLE ACTUATORS (4X) FOR FIXED SHELVING**

OP-S3PATIN



LANDSCAPING

**TOP COVER FOR STOCKALLI M3 - F600 - QUARTZ COLOR**

OP-S61PLAFOND



LANDSCAPING

**BOTTOM COVER FOR STOCKALLI M3 - F600 - QUARTZ COLOR**

OP-S61FOND



LANDSCAPING

**SIDE COVERS FOR CABINET STOCKALLI M3 - F600 - COLOR QUARTZ**

OP-S61COTE



LANDSCAPING

**BACK COVER FOR CABINET STOCKALLI M3 - F600 - QUARTZ COLOR**

OP-S61DOS



LANDSCAPING

**TOP COVER FOR DOUBLE CABINET STOCKALLI M3 - 2XF600 - QUARTZ COLOR**

OP-S62PLAFOND



LANDSCAPING

**BOTTOM COVER FOR DOUBLE CABINET STOCKALLI M3 - 2XF600 - QUARTZ COLOR**

OP-S62FOND



LANDSCAPING

**BACK COVER FOR DOUBLE CABINET STOCKALLI M3 - 2XF600 - QUARTZ COLOR**


OP-S62DOS



LANDSCAPING

**TOP COVER FOR TRANSFER CABINET STOCKALLI M3 - F400 - QUARTZ COLOR**

OP-S41PLAFOND



LANDSCAPING

**BOTTOM COVER FOR TRANSFER CABINET STOCKALLI M3 - F400 - QUARTZ COLOR**

OP-S41FOND



LANDSCAPING

**SIDE COVERS FOR CABINET STOCKALLI M3 - F400 - COLOR QUARTZ**

OP-S41COTE



LANDSCAPING

**BACK COVER FOR CABINET STOCKALLI M3 - F400 - QUARTZ COLOR**

OP-S41DOS



LANDSCAPING

**TOP COVER FOR DOUBLE CABINET STOCKALLI M3 - 2XF400 - QUARTZ COLOR**

OP-S42PLAFOND



LANDSCAPING

**BOTTOM COVER DOR DOUBLE CABINET STOCKALLI M3 - 2XF400 - QUARTZ COLOR**

OP-S42FOND



LANDSCAPING

**BACK COVER FOR DOUBLE CABINET STOCKALLI M3 - 2XF400 - QUARTZ COLOR**

OP-S42DOS



HANDLES

**2 HANDLES AT THE FRONT PANEL - BLACK**

OP-POIGNEEFAC



CONTAINER HOLDER

**OPTION TELESCOPIC DRAWER FOR ABS LOWKET TRAY FOR STOCKALLI M3 F600 (DRAWER ONLY)**

OP-S61TIRTEL



CONTAINER HOLDER

**OPTION TELESCOPIC DRAWER FOR ABS LOWKET TRAY FOR STOCKALLI M3 F400 (DRAWER ONLY)**

OP-S41TIRTEL



CONTAINER HOLDER

**OPTION TELESCOPIC SHELF - FOR STOCKALLI M3 F600**

OP-S61ETATEL



CONTAINER HOLDER

**OPTION TELESCOPIC SHELF - FOR STOCKALLI M3 F400**

OP-S41ETATEL



# Composants

STORAGE CABINET

**BLACK SHELF LENGTH 1200 MM STEEL**


CO-R121505



STORAGE CABINET

**VOLCANIC BLACK MAGNETIC SEPARATOR**

CO-89019



LIP TRAY

**MESHED ABS LOWKET TRAY HEIGHT 200 MM**


CO-BAL200AT



LIP TRAY

**SOLID ABS LOWKET TRAY HEIGHT 050 MM**


CO-BAL50PT



LIP TRAY

**SOLID ABS LOWKET TRAY HEIGHT 100 MM**

CO-BAL100PT



LIP TRAY

**MESHED ABS LOWKET TRAY HEIGHT 100 MM**

CO-BAL100AT



LIP TRAY

**SAFETY STOP FOR WHITE LOWKET TRAY**

CO-BA



LIP TRAY SLIDES

**SET OF 2 WHITE TILTING SLIDES FOR LOWKET TRAYS F0400**

CO-GI4



LIP TRAY SLIDES

**SET OF 2 WHITE SLIDES FOR LOWKET TRAYS F0400**

CO-G4



LIP TRAY SLIDES

**SET OF 2 WHITE SLIDES FOR LOWKET AND DAILY PILLBOX TRAYS F0600**

CO-GB6



LIP TRAY SLIDES

**SET OF 2 WHITE SLIDES FOR LOWKET AND DAILY PILLBOX TRAYS F0600**

CO-GB6



LIP TRAY SLIDES

**SET OF 2 WHITE TILTING SLIDES FOR LOWKET AND DAILY PILLBOX TRAYS F0600**

CO-GBI6



LIP TRAY SLIDES

**SET OF 2 WHITE TILTING SLIDES FOR LOWKET AND DAILY PILLBOX TRAYS F0600**

CO-GBI6



LIP TRAY SLIDES

**SET OF 2 WHITE TILTING SLIDES FOR LOWKET TRAYS F0400 (CHANGE OF MODALLI AND LOGIST'ALLI RIGHT ...**

CO-GI4C



LIP TRAY SLIDES

**SET OF 2 WHITE TILTING SLIDES FOR LOWKET TRAYS F0600 (CHANGE OF MODALLI AND LOGIST'ALLI RIGHT ...**

CO-GBI6C



LIP TRAY COMBS

**LOWKET TRAY SEPARATOR - HEIGHT 200 MM - LONG MESHED**

CO-PL200AT



LIP TRAY COMBS

**LOWKET TRAY SEPARATOR - HEIGHT 200 MM - SHORT MESHED**

CO-PC200AT



LIP TRAY COMBS

**LOWKET TRAY SEPARATOR - HEIGHT 100 MM - LONG MESHED**

CO-PL100AT



LIP TRAY COMBS

**LOWKET TRAY SEPARATOR - HEIGHT 100 MM - LONG SOLID**

CO-PL100PT



LIP TRAY COMBS

**LOWKET TRAY SEPARATOR - HEIGHT 100 MM - SHORT MESHED**

CO-PC100AT



LIP TRAY COMBS

**LOWKET TRAY SEPARATOR - HEIGHT 100 MM - SHORT SOLID**

CO-PC100PT



# Composants

LIP TRAY COMBS

**LOWKET TRAY SEPARATOR - HEIGHT 050 MM - SHORT SOLID**

CO-PC50PT



LIP TRAY COMBS

**LOWKET TRAY SEPARATOR - HEIGHT 050 MM - LONG SOLID**

CO-PL50PT



LIP TRAY COMBS

**CLIP FOR DIVIDER TRAY SEPARATORS - WHITE**

CO-CTP



LABEL HOLDER / LABEL HOLDER ...

**LABEL HOLDER FOR LOWKET TRAY (X50)**

CO-M24534VB



LABEL HOLDER / LABEL HOLDER ...

**WHITE VERTICAL LOWKET TRAY LABEL HOLDER (X10)**


CO-M77816VB



LABEL HOLDER / LABEL HOLDER ...

**LOWKET TRAY LABEL HOLDER (FRENCH PAPER SIZE: CAVALIER) (X10)**

CO-M77817



LABEL HOLDER / LABEL HOLDER ...

**VERTICAL LABEL HOLDER (X50)**


CO-M77937V



LABEL HOLDER / LABEL HOLDER ...

**VERTICAL BLUE LABEL HOLDER (X50)**


CO-M77938V



LABEL HOLDER / LABEL HOLDER ...

**HORIZONTAL WHITE LABEL HOLDER (X50)**


CO-M77937



LABEL HOLDER / LABEL HOLDER ...

**HORIZONTAL BLUE LABEL HOLDER (X50)**

CO-M77938



DRAWER

**DRAWER EQUIPMENT FOR WHITE HANGING FILES**

CO-M21022MC



DRAWER

**WHITE DRAWER HEIGHT 235**

CO-M24504MC



DRAWER

**WHITE DRAWER HEIGHT 155**

CO-M24503MC



DRAWER

**WHITE DRAWER HEIGHT 075**

CO-M24502MC



TOXIC DRAWER

**MECHANICAL DIGICODE FOR NARCOTICS DRAWER**

OP-DIGIA152



TOXIC DRAWER

**WHITE NARCOTICS DRAWER WITH DOOR AND MECHANICAL LOCK HEIGHT 155**

CO-M21046MC



TOXIC DRAWER

**WHITE NARCOTICS DRAWER WITH DOOR AND MECHANICAL LOCK HEIGHT 235**

CO-M21047MC



TOXIC DRAWER

**WHITE NARCOTICS DRAWER WITH DOOR AND MECHANICAL LOCK HEIGHT 075**

CO-M21045MC



TOXIC DRAWER

**MASTER KEY FOR NARCOTIC DRAWER**

OP-PASSPM05



DRILLED DRAWER

**DRILLED DRAWER: WHITE NARCOTICS DRAWER LIDS WITH HINGES AND BACK LEGS**

CO-M77873



DRILLED DRAWER

**DRILLED DRAWER: WHITE NARCOTICS DRAWER LIDS WITHOUT HINGES, WITH BACK LEGS**

CO-M77875



# Composants

DRAWER SLIDES

**SET OF 2 WHITE SLIDES FOR DRAWERS F0600**

CO-GT6



DRAWER SLIDES

**SET OF 2 WHITE TILTING SLIDES FOR DRAWERS F0600**

CO-GTI6



DRAWER SLIDES

**SET OF 2 WHITE TILTING SLIDES FOR DRAWERS F0600 (CHANGE OF MODALLI AND LOGIST'ALLI RIGHT SLIDE ...**

CO-GTI6C



DRAWER COMBS

**WHITE SEPARATOR DRAWER - - HEIGHT 235 - LONG**

CO-M46027F6



DRAWER COMBS

**WHITE SEPARATOR DRAWER - - HEIGHT 235 - SHORT**

CO-M46028F6



DRAWER COMBS

**WHITE SEPARATOR DRAWER - - HEIGHT 075 - LONG**

CO-M46034F6



DRAWER COMBS

**WHITE SEPARATOR DRAWER - - HEIGHT 075 - SHORT - PETER'S SPECIAL**

CO-PCP0570



DRAWER COMBS

**WHITE SEPARATOR DRAWER - - HEIGHT 155 - LONG**

CO-M46029F6



DRAWER COMBS

**WHITE SEPARATOR DRAWER - - HEIGHT 075 - SHORT**

CO-M46035F6



DRAWER COMBS

**WHITE SEPARATOR DRAWER - - HEIGHT 155 - SHORT**

CO-M46030F6



DRAWER BIN

**WHITE DRAWER DIVIDER BIN 075 1/2**

CO-M77888



DRAWER BIN

**WHITE DRAWER DIVIDER BIN 155 1/4**

CO-M24508MC



DRAWER BIN

**WHITE DRAWER DIVIDER BIN 155 1/2**

CO-M77889



DRAWER BIN

**WHITE DRAWER DIVIDER BIN 075 1/6**

CO-M24506MC



DRAWER BIN

**WHITE DRAWER DIVIDER BIN 075 1/4**

CO-M24507MC



SEPARATION BIN

**WHITE DRAWER DIVIDER HEIGHT 120 1/6 WITH SMOOTH HANDLE**

CO-M24523MPL



SEPARATION BIN

**WHITE DRAWER DIVIDER HEIGHT 120 1/6 WITH HANDLE**

CO-M24523MP



SEPARATION BIN

**WHITE DRAWER DIVIDER HEIGHT 155 1/2**

CO-M77887



SEPARATION BIN

**WHITE DRAWER DIVIDER HEIGHT 075 1/2**

CO-M77886



SEPARATION BIN

**WHITE DRAWER DIVIDER HEIGHT 155 1/4 L**

CO-M24522MC



SEPARATION BIN

**WHITE DRAWER DIVIDER HEIGHT 075 1/6 WITH HANDLE**

CO-M24509MP



# Composants

SEPARATION BIN

**WHITE DRAWER DIVIDER HEIGHT 075 1/4 L WITH HANDLE**

CO-M24510MP



SEPARATION BIN

**WHITE DRAWER DIVIDER HEIGHT 075 1/4**

CO-M24510MC



SEPARATION BIN

**WHITE DRAWER DIVIDER HEIGHT 075 1/4 L**

CO-M24512MC



SEPARATION BIN

**WHITE DRAWER DIVIDER HEIGHT 155 1/6**

CO-M24523MC



SEPARATION BIN

**WHITE DRAWER DIVIDER HEIGHT 155 1/4**

CO-M24511MC



SEPARATION BIN

**WHITE DRAWER DIVIDER HEIGHT 075 1/6**

CO-M24509MC



DIVIDERS

**MOBILE WHITE SEPARATOR HEIGHT 075 1/6**


CO-M24513MC



DIVIDERS

**MOBILE WHITE SEPARATOR HEIGHT 075 1/4**

CO-M24514MC



DIVIDERS

**CONNECTING BAR FOR WHITE MOBILE SEPARATOR (TRAY SEP.)**

CO-M24526MC



DIVIDERS

**MOBILE WHITE SEPARATOR HEIGHT 155 1/4**

CO-M24515MC



DIVIDERS

**MOBILE WHITE SEPARATOR HEIGHT 155 1/6**

CO-M24525MC



DIVIDERS

**CONNECTING BAR FOR WHITE MOBILE SEPARATOR**

CO-M24530MC



DIVIDERS

**WHITE MOBILE SEPARATOR HEIGHT 120 1/6 FOR DRAWER DIVIDER 120/6 WITH HANDLE**

CO-M24525MS



SUBDIVISION BIN

**WHITE SUBDIVISION BOX - HEIGHT 155 1/8**

CO-M24620MC



SUBDIVISION BIN

**WHITE SUBDIVISION BOX - HEIGHT 075 1/18**

CO-M24615MC



SUBDIVISION BIN

**WHITE SUBDIVISION BOX - HEIGHT 075 1/12**

CO-M24617MC



SUBDIVISION BIN

**WHITE SUBDIVISION BOX - HEIGHT 075 1/8**


CO-M24618MC



LABEL HOLDER / DRAWER LABEL ...

**WHITE CARD LABEL HOLDER - LENGTH 160 (X100)**


CO-M77915



LABEL HOLDER / DRAWER LABEL ...

**WHITE CARD LABEL HOLDER - LENGTH 160 (X100)**


CO-M77915



LABEL HOLDER / DRAWER LABEL ...

**WHITE CARD LABEL HOLDER - 2 SLOTS - LENGTH 80 (X100)**


CO-M77906



LABEL HOLDER / DRAWER LABEL ...

**WHITE CARD LABEL HOLDER - 2 SLOTS - LENGTH 80 (X100)**

CO-M77906



# Composants

LABEL HOLDER / DRAWER LABEL ...

**WHITE CARD LABEL HOLDER - 1 SLOT - LENGTH 40 (X100)**

CO-M77905



LABEL HOLDER / DRAWER LABEL ...

**WHITE CARD LABEL HOLDER - 1 SLOT - LENGTH 40 (X100)**

CO-M77905



LABEL HOLDER / DRAWER LABEL ...

**WHITE UNIVERSAL VERTICAL LABEL HOLDER (X10)**

CO-M77816V



LABEL HOLDER / DRAWER LABEL ...

**WHITE UNIVERSAL VERTICAL LABEL HOLDER (X10)**

CO-M77816V



LABEL HOLDER / DRAWER LABEL ...

**WHITE UNIVERSAL HORIZONTAL LABEL HOLDER (X10)**

CO-M77816



LABEL HOLDER / DRAWER LABEL ...

**WHITE UNIVERSAL HORIZONTAL LABEL HOLDER (X10)**

CO-M77816



LABEL HOLDER / DRAWER LABEL ...

**VERTICAL LABEL HOLDER (X50)**

CO-M24534V



LABEL HOLDER / DRAWER LABEL ...

**VERTICAL LABEL HOLDER (X50)**

CO-M24534V



LABEL HOLDER / DRAWER LABEL ...

**HORIZONTAL LABEL HOLDER (X50)**

CO-M24534MZ



LABEL HOLDER / DRAWER LABEL ...

**HORIZONTAL LABEL HOLDER (X50)**

CO-M24534MZ



LABEL HOLDER / DRAWER LABEL ...

**LABEL HOLDER FOR DRAWER 1/6**

CO-M24610MZ



LABEL HOLDER / DRAWER LABEL ...

**LABEL HOLDER FOR DRAWER 1/6**

CO-M24610MZ



LABEL HOLDER / DRAWER LABEL ...

**LABEL HOLDER FOR DRAWER 1/4**

CO-M24611MZ



LABEL HOLDER / DRAWER LABEL ...

**LABEL HOLDER FOR DRAWER 1/4**

CO-M24611MZ



LABEL HOLDER / DRAWER LABEL ...

**LABEL HOLDER FOR DRAWER 1/2**

CO-M77815



LABEL HOLDER / DRAWER LABEL ...

**LABEL HOLDER FOR DRAWER 1/2**

CO-M77815



LABEL HOLDER / DRAWER LABEL ...

**WHITE LABEL HOLDER 80 X 50 MM**

CO-M24535SZ



LABEL HOLDER / DRAWER LABEL ...

**WHITE LABEL HOLDER 80 X 50 MM**

CO-M24535SZ



DRAWER LABELS

**BLUE LABELS (X5)**

CO-M77826



DRAWER LABELS

**YELLOW LABELS (X5)**

CO-M77825



DRAWER LABELS

**RED LABELS (X5)**

CO-M77827



# Composants

DRAWER LABELS

**GREEN LABELS (X5)**

CO-M77828



DRAWER LABELS

**WHITE LABELS FOR SUBDIVISION BOX**

CO-M24532MC




ABS SHELVES

**WHITE FILE SHELF F0600 (14 SPACES)**

CO-M77899



ABS SHELVES

**WHITE SOLUTION SHELF F0600 - LOADING CAPACITY 35 KGS**

CO-M24505MS



ABS SHELVES

**STANDARD WHITE SHELF F0600**

CO-M24505MC



ABS SHELVES

**PACK SHELF BT 75 - 4 DRAWER DIVIDER BIN 75 1/4 - 12 MOBILE SEPARATOR - 4 LABEL HOLDER 1/4**

PP-PETA-BT75-16



ABS SHELVES

**PACK DRAWER 155 - 4 DRAWER DIVIDER 155 1/4 - 4 MOBILE SEPARATOR - 4 CONNECTING BARS FOR MOBILE ...**

PP-PTIR155-14-8



ABS SHELVES

**PACK DRAWER 155 - 4 DRAWER DIVIDER 155 1/4 - 8 MOBILE SEPARATOR - 4 CONNECTING BARS FOR MOBILE ...**

PP-PTIR155-14-12



ABS SHELVES

**PACK DRAWER 155 - 6 DRAWER DIVIDER 155 1/6 - 6 MOBILE SEPARATOR - 6 CONNECTING BARS FOR MOBILE ...**

PP-PTIR155-16-12



ABS SHELVES

**PACK DRAWER 155 - 6 DRAWER DIVIDER 155 1/6 - 12 MOBILE SEPARATOR - 6 CONNECTING BARS FOR MOBILE ...**

PP-PTIR155-16-18



ABS SHELVES

**PACK DRAWER 75 - 6 DRAWER DIVIDER 75 1/6 - 18 MOBILE SEPARATOR**

PP-PTIR75-16-24



ABS SHELVES

**PACK DRAWER 75 - 4 DRAWER DIVIDER 75 1/4 - 12 MOBILE SEPARATOR**

PP-PTIR75-14-16



ABS SHELVES

**PACK DRAWER 75 - 4 DRAWER DIVIDER 75 1/4 - 16 MOBILE SEPARATOR**

PP-PTIR75-14-20



ABS SHELVES

**PACK DRAWER 235 - 2 DRAWER DIVIDER 155 1/2**

PP-PTIR235-12-2



ABS SHELVES

**PACK SHELF BT 155 - 4 DRAWER DIVIDER BIN 155 1/4 - 8 MOBILE SEPARATOR - 4 CONNECTING BARS - 4 L ...**

PP-PETA-BT155-14



SHELVES IN COMPACT

**WHITE SHELF TRESPA F0400 WITH SPLASHBACK 150 MM**

CO-M77936



SHELVES IN COMPACT

**WHITE SHELF TRESPA F0400 WITH SPLASHBACK 030 MM**

CO-M77935



SHELVES IN COMPACT

**SHELF TRESPA F600**

CO-M77884



SHELVES IN COMPACT

**WHITE SHELF TRESPA F0400 WITHOUT SPLASHBACK**

CO-R041810



DEDICATED SHELVES

**WHITE PROBE HOLDER SHELF F0600**

CO-M24505MP



METAL SHELVES

**LONG STEELLIC SHELF FOR DRESSING TROLLEY (P0598)**

CO-ETAGLMET



# Composants

METAL SHELVES

**SHORT STEELLIC SHELF FOR DRESSING TROLLEY (P0598)**


CO-ETAGCMET



SHELF LABEL HOLDER / LABEL H ...

**LABEL HOLDER FOR LAMINATED RESIN SHELF**

CO-M77907



PILLBOX TRAY SET

**SET OF 7 DAILY PILLBOXES TRAYS - LARGE MODEL**

CO-MEC70002



PILLBOX TRAY SET

**SET OF 7 DAILY PILLBOXES TRAYS - MEDIUM MODEL**

CO-MEC70001



PILLBOX TRAY SET

**WHITE DAILY PILLBOX TRAY**

CO-MEC70003



PILLBOX TRAY SET

**WHITE OPENING SYSTEM**

CO-SOBJ



DAILY BAC

**MOBILE SEPARATOR - MEDIUM MODEL**

CO-MEC70008



DAILY BAC

**MOBILE SEPARATOR - LARGE MODEL**

CO-MEC70009



DAILY BAC

**DAILY PILLBOXES TRAY - LARGE MODEL**

CO-MEC70012



DAILY BAC

**DAILY PILLBOXES TRAY - MEDIUM MODEL**

CO-MEC70011



DAILY BAC

**PILULIER SEUL WITH COUVERCLE FOR DRAWERS JOINTIFS**

CO-MED038



SET 8 PILLBOXES

**SET OF 8 DAILY PILLBOXES TRAYS - MAUVE**


CO-M77900MA



SET 8 PILLBOXES

**PLUMIER TRAY - MAUVE**

CO-M77904MA



SET 8 PILLBOXES

**PLUMIER PILL ORGANIZER - MAUVE**

CO-M77902MA



SET 8 PILLBOXES

**SEPARATOR FOR PLUMIER PILL ORGANIZER (GREEN OR MAUVE)**


CO-M77903



SET 8 PILLBOXES

**SET OF 8 DAILY PILLBOXES TRAYS - GREEN**

CO-M77900VE



SET 8 PILLBOXES

**PLUMIER PILL ORGANIZER - GREEN**

CO-M77902VE



SET 8 PILLBOXES

**PLUMIER TRAY - GREEN**


CO-M77904VE



SET 8 PILLBOXES

**PLUMIER PILL ORGANIZER WITHOUT HANDLE - MAUVE**

CO-M77902MA-SP



SET 8 PILLBOXES

**PLUMIER PILL ORGANIZER WITHOUT HANDLE - GREEN**

CO-M77902VE-SP



LABEL HOLDER / LABEL HOLDER ...

**DAILY PILLBOX TRAY LABEL HOLDER - MEDIUM MODEL (X50)**

CO-MEC80020



# Composants

LABEL HOLDER / LABEL HOLDER ...

**DAILY PILLBOX TRAY LABEL HOLDER - LARGE MODEL (X50)**

CO-MEC80021



LABELS FOR PILL BOX

**SET OF 35 SHEETS OF 24 LABELS FOR 8 DAILY PILLBOXES TRAYS (COLORS: PANACHES)**

CO-M77901



LABELS FOR PILL BOX

**SELF-ADHESIVE LABELS - MEDIUM MODEL - 200 SHEETS OF 27 LABELS (5400 LABELS)**

CO-MEZ80020




LABELS FOR PILL BOX

**SELF-ADHESIVE LABELS - LARGE MODEL - 200 SHEETS OF 18 LABELS (3600 LABELS)**

CO-MEZ80021




LABELS FOR PILL BOX

**SELF-ADHESIVE LABELS - MEDIUM MODEL - 50 SHEETS OF 27 LABELS (1350 LABELS)**

CO-MEZ8002001




LABELS FOR PILL BOX

**SELF-ADHESIVE LABELS - LARGE MODEL - 50 SHEETS OF 18 LABELS (0900 LABELS)**

CO-MEZ8002101




CASSETTE

**HANDLE FOR CASSETTE X2**


OP-POIGNEECA



CASSETTE

**WHITE CASSETTE WITH DOOR, LOCK SYSTEM AND 2 HANDLES - 3-LEVEL**


CO-M24627MC



CASSETTE

**WHITE CASSETTE WITH DOOR, LOCK SYSTEM AND 2 HANDLES - 2 SPECIAL LEVEL**

CO-M24627MS



CASSETTE

**WHITE CASSETTE WITH DOOR AND LOCK SYSTEM - 3-LEVEL**

CO-M24626MC



CASSETTE

**WHITE CASSETTE WITH DOOR, LOCK SYSTEM AND 2 HANDLES - 2-LEVEL**

CO-M24624MC



CASSETTE

**WHITE CASSETTE WITH DOOR AND LOCK SYSTEM - 2-LEVEL**

CO-M24623MC



CASSETTE

**WHITE CASSETTE WITH DOOR AND LOCK SYSTEM - 1-LEVEL**

CO-M24623MS



CASSETTE

**WHITE CASSETTE WITHOUT DOOR - 2-LEVEL**

CO-M24622MC



CASSETTE

**WHITE CASSETTE WITHOUT DOOR - 3-LEVEL**

CO-M24625MC



CASSETTE

**WHITE CASSETTE WITH DOOR, LOCK SYSTEM AND 2 HANDLES - 1-LEVEL**

CO-M24624MS



CASSETTE

**MASTER KEY FOR CASSETTE ALLIBERT MEDICAL**

OP-PASSP03




# Preventive maintenance tailored to your needs

The maintenance of medical devices is not only a **technical obligation**, but also a **legal** and regulatory responsibility of the organisation.

It is based on:

- A clear policy
- Traceability procedures
- The use of compliant parts
- And staff training



# The advantages of preventive maintenance



## THE BENEFITS OF REGULAR MAINTENANCE OF YOUR EQUIPMENT

- Improved performance: maximum fleet availability.
- Improved quality: a reliable and continuous service.
- Lower costs: reduced repair costs.
- Fewer breakdowns: continuity guaranteed.



## EXTEND THE LIFESPAN OF YOUR EQUIPMENT & ENSURE SAFETY

Our maintenance programmes are designed to:
- Ensure your equipment performs to its full potential.
- Provide regular checks and reliable diagnostics.
- Safeguard the safety of patients, residents and carers.
- Maintain your organisation’s regulatory compliance.



## A BUDGET UNDER CONTROL

Our maintenance solutions help you to:
- Plan your expenditure.
- Avoid unexpected costs.
- Optimise your investments with complete transparency.



## CERTIFIED COMPONENTS FOR SUSTAINABLE VIABILITY

All our services are carried out using original parts that have been tested and approved, guaranteeing:
- Maximum safety when using your equipment.
- Strict compliance with regulatory standards.
- The durability and reliability of your beds, mattresses and accessories.

# Our preventive maintenance services



## A SINGLE POINT OF CONTACT FOR A COMPREHENSIVE SOLUTION

From pre-sales to after-sales, we support you every step of the way.

Through a **detailed analysis** of your needs, we provide **tailored technical support**, based on a **long-term** and **effective** partnership.

## EXPERTS AT YOUR SIDE

Our technicians and engineers, who receive regular training in the latest innovations, guarantee you:
- A responsive, high-quality service.
- Professional installation of your equipment.
- Comprehensive training for your teams, delivered directly on-site.

## OUR TECHNICIANS CARRY OUT A FULL INSPECTION

- Mechanical inspection: assembly, joints, brakes, locking mechanisms.
- Electrical inspection: components, controls, sensors.
- Safety features: barriers, locking systems, protective devices.
- Lubrication: re-greasing of all pivot points.
- Electrical tests: carried out in accordance with current standards.

Each operation (inspection, adjustment, replacement) is recorded in the technician’s maintenance report.

## RENOVATION OF THE PARK

Following the visit, our preventive maintenance team will email you the **maintenance report** completed for each piece of equipment.
The **service reports** are sent to your HAcare contact, who will draw up the necessary quotes for repairs or replacements.

This provides you with **comprehensive** and **transparent** tracking of the **maintenance** of your equipment fleet.

The result: a clear and traceable process that guarantees the safety, compliance and availability of your equipment. Translated with DeepL.com (free version)

# ALLIBERT MÉDICAL

**ZAC de Fourquevaux, 100 avenue du Formans**
**01600 - TRÉVOUX, FRANCE**

Tél +33 (0)4 74 08 71 71
export@hacare.com

**Sales in the French Overseas Departments and Communities (DROM-COM)**
f.milloux@hacare.com
06 25 83 86 00

**International Export Department**
export@hacare.com
+33 (0)4 74 08 71 71

**Sales assistant**
export@hacare.com
+33 (0)4 74 08 71 71

HAcare

MEDICAL

1860

MKT-26-PO-HOP-SES-PT-ASO-SARM-EN
2026